

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Jul 2026

Comparison of efficacy and safety of Heparin and Enoxaparin versus control group in patients undergoing primary percutaneous intervention: An open labelled randomized clinical trial

Protocol summary

Study aim

Determining and comparing the efficacy and safety of heparin and enoxaparin with the control group in patients undergoing primary angioplasty

Design

A controlled, parallel-group, open-label, randomized clinical trial on 171 patients. The website <http://www.randomization.com/> will be used for randomization.

Settings and conduct

In this open label, clinical trial study, patients aged 18 to 65 years with acute myocardial infarction with ST segment elevation, who will undergo primary PCI in the emergency room of Dr. Heshmat Rasht Hospital in the period of 2023-2024, in the service of an international cardiologist will enter the study. According to inclusion and exclusion criteria, all these patients will be included in the study after completing the informed consent form. The current clinical trial has one control and two intervention groups.

Participants/Inclusion and exclusion criteria

Inclusion criteria: myocardial infarction with ST segment elevation. Non-inclusion criteria: having coagulopathy, underlying bleeding disorders, history of mechanical valve, presence of other indications for receiving anticoagulants, absolute prohibition of receiving anticoagulants, GFR lower than 30 and liver failure

Intervention groups

The control group includes patients with myocardial infarction who will not receive any injectable anticoagulant from three hours after the sheet removal until the end of the hospitalization period. In the first intervention group, 60 U/kg bolus of unfractionated heparin and then 12 U/kg/h as an infusion will be prescribed from three hours after sheet removal until the end of hospitalization. In the second intervention group, they will be treated with enoxaparin (LMWH) 1 mg/kg

twice a day (once every 12 hours) from three hours after sheet removal until the end of the hospitalization period.

Main outcome variables

Stroke, cardiac death and recurrent myocardial infarction in the first 40 days after discharge from the hospital

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20220809055645N4**

Registration date: **2023-05-23, 1402/03/02**

Registration timing: **registered_while_recruiting**

Last update: **2023-05-23, 1402/03/02**

Update count: **0**

Registration date

2023-05-23, 1402/03/02

Registrant information

Name

Fatemeh Baharvand

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 13 3361 8177

Email address

dr.baharcario@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-05-22, 1402/03/01

Expected recruitment end date

2023-11-22, 1402/09/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of efficacy and safety of Heparin and Enoxaparin versus control group in patients undergoing primary percutaneous intervention: An open labelled randomized clinical trial

Public title

Effect of heparin and enoxaparin in patients undergoing primary angioplasty

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

Myocardial infarction with ST segment elevation

Exclusion criteria:

Having coagulopathy Having no consent to participate in the study and follow-up courses Having underlying bleeding disorders, mechanical valve history Presence of other indications for receiving anticoagulants Absolute prohibition of receiving anticoagulants (such as active bleeding at the time of visit, drug sensitivity) GFR lower than 30 liver failure

Age

From **18 years** old to **65 years** old

Gender

Both

Phase

3

Groups that have been masked

No information

Sample size

Target sample size: **171**

Randomization (investigator's opinion)

Randomized

Randomization description

The method of sampling and randomization will be the blocked randomization method. In this way, each person will be randomly assigned to the intervention or control groups using blocks of size 6 in a ratio of 1:1:1. The website <http://www.randomization.com/> will be used for randomization. The list of codes obtained from this website will be provided to project researchers, and every patient with acute myocardial infarction who met the inclusion criteria will be entered into the project based on the assigned code A, B, and C, respectively. In this research, simple random allocation concealment method will be used. In this way, each patient will be assigned a code. In this method, each of the generated random codes will be written on a card. Then they will be placed inside sealed opaque envelopes in random order. In order to maintain the random sequence, the outer surface of the envelopes will be numbered in the same order. Finally, the lid of the letter envelopes will be glued and will be placed in a box respectively. At the time of sampling, based on the order of entry of qualified

participants into the study, one of the envelopes will be revealed in the order of opening and the assigned group of that participant.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of Guilan University of Medical Sciences

Street address

Cardiovascular Diseases Research Center, Dr. Heshmat Heart Hospital, 15 Khordad Street, Mosalla Square

City

Rasht

Province

Guilan

Postal code

4193955588

Approval date

2023-05-03, 1402/02/13

Ethics committee reference number

IR.GUMS.REC.1402.055

Health conditions studied**1****Description of health condition studied**

Acute myocardial infarction

ICD-10 code

I21

ICD-10 code description

ST elevation (STEMI) and non-ST elevation (NSTEMI) myocardial infarction

Primary outcomes**1****Description**

Incidence of stroke

Timepoint

40 days after primary angioplasty

Method of measurement

By using clinical documents of patients and asking them

2

Description

Cardiac death

Timepoint

40 days after primary angioplasty

Method of measurement

By using clinical documents of patients

3

Description

Recurrent myocardial infarction

Timepoint

40 days after primary angioplasty

Method of measurement

By using clinical documents of patients

Secondary outcomes

1

Description

Mean ejection fraction of the left ventricle

Timepoint

40 days after primary angioplasty

Method of measurement

Echocardiography

Intervention groups

1

Description

Intervention group: The first intervention group includes 57 patients with myocardial infarction who will undergo percutaneous coronary intervention (PCI). These patients will enter the study with their personal consent and after completing the informed consent form. For the participants in the first intervention group, from three hours after removing the sheet until the end of hospitalization, unfractionated heparin 60 U/kg bolus and then 12 U/kg/h will be administered as an infusion.

Category

Treatment - Drugs

2

Description

Intervention group: In the second intervention group, 57 participants will be treated with enoxaparin (LMWH) 1 mg/kg twice a day (once every 12 hours) from three hours after removing the sheet until the end of hospitalization. It should be noted that all these interventions will end after the patient is discharged from the hospital.

Category

Treatment - Drugs

3

Description

Control group: It includes 57 patients with myocardial

infarction who will undergo percutaneous coronary intervention (PCI). These patients will enter the study with their personal consent and after completing the informed consent form. Participants in the control group will not receive any injectable anticoagulant from three hours after removing the sheet until the end of their hospitalization.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Dr. Heshmat heart hospital

Full name of responsible person

Fatemeh Baharvand

Street address

Cardiovascular Diseases Research Center, Dr. Heshmat Heart Hospital, 15 Khordad Street, Mosalla Square

City

Rasht

Province

Guilan

Postal code

4193955588

Phone

+98 13 3361 8177

Fax

+98 13 3366 8718

Email

dr.baharcario@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Rasht University of Medical Sciences

Full name of responsible person

Mohammadreza Naghipour

Street address

Cardiovascular Diseases Research Center, Dr. Heshmat Heart Hospital, 15 Khordad Street, Mosalla Square

City

Rasht

Province

Guilan

Postal code

4193955588

Phone

+98 13 3361 8177

Fax

+98 13 3366 8718

Email

dr.baharcario@gmail.com

Grant name

Grant code / Reference number**Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Rasht University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding*empty***Country of origin****Type of organization providing the funding**

Academic

Street addressCardiovascular Diseases Research Center, Dr.
Heshmat Heart Hospital, 15 Khordad Street, Mosalla
Square**City**

Rasht

Province

Guilan

Postal code

4193955588

Phone

+98 13 3361 8177

Fax

+98 13 3366 8718

Email

dr.baharcario@gmail.com

Person responsible for general inquiries**Contact****Name of organization / entity**

Rasht University of Medical Sciences

Full name of responsible person

Fatemeh Baharvand

Position

Associate professor

Latest degree

Subspecialist

Other areas of specialty/work

Cardiology

Street addressCardiovascular Diseases Research Center, Dr.
Heshmat Heart Hospital, 15 Khordad Street, Mosalla
Square**City**

Rasht

Province

Guilan

Postal code

4193955588

Phone

+98 13 3361 8177

Fax

+98 13 3366 8718

Email

dr.baharcario@gmail.com

Person responsible for updating data**Contact****Name of organization / entity**

Rasht University of Medical Sciences

Full name of responsible person

Fatemeh Baharvand

Position

Associate professor

Latest degree

Subspecialist

Other areas of specialty/work

Cardiology

Street addressCardiovascular Diseases Research Center, Dr.
Heshmat Heart Hospital, 15 Khordad Street, Mosalla
Square**City**

Rasht

Province

Guilan

Postal code

4193955588

Phone

+98 13 3361 8177

Fax

+98 13 3366 8718

Email

dr.baharcario@gmail.com

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Rasht University of Medical Sciences

Full name of responsible person

Fatemeh Baharvand

Position

Associate professor

Latest degree

Subspecialist

Other areas of specialty/work

Cardiology

Sharing plan**Deidentified Individual Participant Data Set (IPD)**Undecided - It is not yet known if there will be a plan to
make this available**Study Protocol**Undecided - It is not yet known if there will be a plan to
make this available**Statistical Analysis Plan**Undecided - It is not yet known if there will be a plan to
make this available**Informed Consent Form**Undecided - It is not yet known if there will be a plan to
make this available**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to

make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available