

Clinical Trial Protocol

Iranian Registry of Clinical Trials

31 May 2026

Evaluation of Mechanical Traction and Simultaneous High Intensity Laser Irradiation Effects on Pain, Lower Extremity Muscles Activity, and Functional Balance in People with Knee Osteoarthritis

Protocol summary

Study aim

Evaluation of mechanical traction and simultaneous high intensity laser irradiation effects on pain, lower extremity muscles activity, and functional balance in people with knee osteoarthritis

Design

Randomized clinical trial with blinded evaluator on 28 patients, with 2 parallel intervention groups. Randomization was computerized with concealed randomization sequence carried out by Excel software.

Settings and conduct

This single blind study will be conducted in the biomechanics laboratory of Tarbiat Modares University with a blind assessor. The random allocation list will be created by a person who is not involved in the evaluation and treatment using Excel 2016 software. Concealment of random allocation will be based on opaque, thick, sealed envelopes numbered consecutively

Participants/Inclusion and exclusion criteria

Inclusion criteria: People with grade 3 tibiofemoral osteoarthritis, $25 \leq \text{BMI} < 30$ Exclusion criteria: Other rheumatological conditions, recent fracture around the knee, lower limb deformity, osteoporosis, bone tumors, history of cancer, presence of bone implant, infection

Intervention groups

Patients are randomly assigned to two groups: The first group will be treated with high intensity laser, and the second group will receive continuous mechanical traction in addition to the high intensity laser. High intensity laser will be used by following parameters: Wavelengths of 660, 800, 906 and 970 nm, Variable maximum power up to 20 watts and average power of 9 watts 2277 joules of total energy, Frequency of the device (10-20000 Hz) and the total duration of the treatment is 4 minutes and 13 seconds. For group 2 the traction force is applied continuously and equal to 10% of the patient's body weight for 20 minutes through an adjustable weight cuff

that will be tied around the patient's distal leg in sitting position with knee in 90 degree flexion.

Main outcome variables

Pain

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20230603058371N1**

Registration date: **2023-06-07, 1402/03/17**

Registration timing: **prospective**

Last update: **2023-06-07, 1402/03/17**

Update count: **0**

Registration date

2023-06-07, 1402/03/17

Registrant information

Name

Pardis Norouzi

Name of organization / entity

Tarbiat Modares University

Country

Iran (Islamic Republic of)

Phone

+98 21 82880

Email address

pardis.norouzi.pt@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-07-06, 1402/04/15

Expected recruitment end date

2025-03-18, 1403/12/28

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Evaluation of Mechanical Traction and Simultaneous High Intensity Laser Irradiation Effects on Pain, Lower Extremity Muscles Activity, and Functional Balance in People with Knee Osteoarthritis

Public title

Evaluation of Mechanical Traction and Simultaneous High Intensity Laser Irradiation Effects on Pain, Lower Extremity Muscles Activity, and Functional Balance in People with Knee Osteoarthritis

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

People who are symptomatically and radiologically suffering from grade 3 tibiofemoral osteoarthritis based on the Kellgren-Lawrence radiological grading scale and meet the criteria of the American College of Rheumatology Moderate pain range (score 45-74 on the 100 mm VAS scale) Body mass index $25 \leq \text{BMI} < 30$ Lower limb muscle strength equal to or greater than grade 4 based on Kendall and Daniel

Exclusion criteria:

Other rheumatological conditions, recent fracture around the knee, lower limb deformity, osteoporosis, bone tumors Varus knee deformity more than 5 degrees, valgus more than 15 degrees History of cancer Presence of bone implant People with a history of surgery on the knee joint Infection Open wounds or skin disease around the knee joint Injections or physiotherapy on the knee in the last three months, using steroidal or non-steroidal anti-inflammatory drugs in the last 15 days Other causes of pain in the lower limbs (such as polyneuropathy, restless leg syndrome, fibromyalgia, hip joint pathology, spine root compression, central nervous system diseases), mental disorders

Age

From **45 years** old to **75 years** old

Gender

Both

Phase

N/A

Groups that have been masked

- Outcome assessor

Sample size

Target sample size: **28**

Randomization (investigator's opinion)

Randomized

Randomization description

The random allocation list will be created by a person who is not involved in the evaluation and treatment using Excel 2016 software in such a way that in a two-column table, the right column contains the number of

all participants in the order of entry and the left column contains the random letters A (high intensity laser group) and B (high intensity laser and mechanical traction group) which determines the order of random placement of patients in one of the two intervention groups. Concealment of random allocation will be based on opaque, thick, sealed envelopes numbered consecutively. The numbered envelopes with consecutive numbers according to the order of subjects entering the study, determine which of the treatment groups each patient will be placed in.

Blinding (investigator's opinion)

Single blinded

Blinding description

The outcome assessor and the therapist are two different people, and the assessor is not aware of the placement of the patients in the treatment groups.

Placebo

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of Tarbiat Modares Faculty of Medical Sciences

Street address

Jalal Al Ahmad Ave

City

Tehran

Province

Tehran

Postal code

14115111

Approval date

2023-05-29, 1402/03/08

Ethics committee reference number

IR.MODARES.REC.1402.036

Health conditions studied**1****Description of health condition studied**

Knee osteoarthritis

ICD-10 code

M17

ICD-10 code description

Osteoarthritis of knee

Primary outcomes

1

Description

Pain

Timepoint

Before treatment, 48 hours after 10 treatment sessions

Method of measurement

100 millimeter visual analog scale

Secondary outcomes

1

Description

Knee function

Timepoint

Before treatment, 48 hours after 10 treatment sessions

Method of measurement

WOMAC questionnaire

2

Description

The electrical activity of lower extremity muscles includes: Mean root mean square, Median root mean square, Median frequency, Co-contraction index

Timepoint

Before treatment, 48 hours after 10 treatment sessions

Method of measurement

Surface Electromyography signal analysis

3

Description

Functional balance index include: Center of pressure sway velocity, Rising index, Weight transfer time, Mean absolute error, Standard deviation of absolute error, Root mean square error, Area, Normalized error

Timepoint

Before treatment, 48 hours after 10 treatment sessions

Method of measurement

Kistler MARS device data analysis

Intervention groups

1

Description

Intervention group: Group 1: The first group is treated with high intensity laser. High intensity laser is applied using the American K LASER device with the following parameters: Wavelengths of 660, 800, 906 and 970 nm, variable maximum power up to 20 watts and average power of 9 watts, 2277 joules of total energy, during 11 phases of 23 seconds (the first and last phase are continuous wave and the other phases are pulse), frequency of the device (10-20000 Hz) and the total duration of the treatment is 4 minutes and 13 seconds. continuous circular movements of the probe on the anterior, medial and external surface of the knee joint line between the epicondyles of the femur and tibia (2000 J) and around the patella (277 J) will be applied. Patients will receive 10 treatment sessions in two weeks.

Category

Treatment - Devices

2

Description

Intervention group: For group 2, at the same time as applying a high intensity laser with the same parameters as group 1, the continuous traction force is applied equal to 10% of the patient's body weight for 20 minutes through an adjustable weight cuff around the patient's distal leg in a sitting position with the knee in 90 degree flexion. Patients will receive 10 treatment sessions in two weeks.

Category

Treatment - Devices

Recruitment centers

1

Recruitment center

Name of recruitment center

Tarbiat Modares University

Full name of responsible person

Roya Ravanbod

Street address

Jalal Al Ahmad Ave

City

Tehran

Province

Tehran

Postal code

14115111

Phone

+98 21 82880

Email

ravanbod@modares.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Tarbiat Modares University

Full name of responsible person

Roya Ravanbod

Street address

Jalal Al Ahmad Ave

City

Tehran

Province

Tehran

Postal code

14115111

Phone

+98 21 82880

Email

ravanbod@modares.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Tarbiat Modares University

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries**Contact****Name of organization / entity**

Tarbiat Modares University

Full name of responsible person

Pardis Norouzi

Position

Ph.D student

Latest degree

Master

Other areas of specialty/work

Physiotherapy

Street address

Jalal Al Ahmad Ave

City

Tehran

Province

Tehran

Postal code

14115111

Phone

+98 21 82880

Email

pardis.norouzi.pt@gmail.com

Person responsible for scientific inquiries**Contact****Name of organization / entity**

Tarbiat Modares University

Full name of responsible person

Roya Ravanbod

Position

Associate professor

Latest degree

Ph.D.

Other areas of specialty/work

Physiotherapy

Street address

Jalal Al Ahmad Ave

City

Tehran

Province

Tehran

Postal code

14115111

Phone

+98 21 82880

Email

ravanbod@modares.ac.ir

Person responsible for updating data**Contact****Name of organization / entity**

Tarbiat Modares University

Full name of responsible person

Pardis Norouzi

Position

Ph.D student

Latest degree

Master

Other areas of specialty/work

Physiotherapy

Street address

Jalal Al Ahmad Ave

City

Tehran

Province

Tehran

Postal code

14115111

Phone

+98 21 82880

Email

pardis.norouzi.pt@gmail.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available