

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jul 2026

Evaluation of the effectiveness of the Intraperitoneal Irrigation with tumescent solution on the intensity of postoperative pain in laparoscopic cholecystectomy patients

Protocol summary

Study aim

Determining the effectiveness of intraperitoneal washing with Tamosent solution on postoperative pain intensity in laparoscopic cholecystectomy patients

Design

A clinical trial with a control group, with parallel groups, double-blind, randomized, phase 3, 25 samples in each group, which includes 10% dropout during the study, and the number of samples for each group is 27. Allocation of samples to intervention groups is done using 6 random blocks method

Settings and conduct

Patients with symptomatic gallstones who refer to Velayat hospital and are candidates for laparoscopic cholecystectomy according to the order of the patient's surgeon. In group A, the surgeon will inject 200 ml of Tamosent solution in the space below the diaphragm and the gallbladder area under the guidance of a camera. In group B, at the end of the operation, 500 ml of 0.9% normal saline will be used to wash the surgical bed, the upper surface of the liver and the right half of the diaphragm.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Patients of any age, sex, or occupation who are diagnosed with symptomatic gallstones or chronic cholecystitis. Exit criteria: pregnant women, age <25 years and >70 years, emergency cholecystectomy, intraoperative injury to the intestine or bile duct, intraoperative bleeding, gangrenous or emphysematous cholecystitis, obstructive jaundice, choledocholithiasis, coagulopathy, rupture of the gallbladder during surgery or damage to the common bile duct, cholangitis, pancreatitis, carcinoma of the gallbladder and its abnormalities, previous upper abdominal surgery, and patients with a history of abuse Drugs or alcohol.

Intervention groups

Intraperitoneal lavage with Tamosent solution

(intervention group) and intraperitoneal lavage with normal saline alone (control group)

Main outcome variables

Severity of pain after surgery

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20230607058402N1**

Registration date: **2023-08-23, 1402/06/01**

Registration timing: **registered_while_recruiting**

Last update: **2023-08-23, 1402/06/01**

Update count: **0**

Registration date

2023-08-23, 1402/06/01

Registrant information

Name

Amirarad Mahmoudi

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 28 3379 0628

Email address

amiraradmahmoudi@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-07-01, 1402/04/10

Expected recruitment end date

2024-02-20, 1402/12/01

Actual recruitment start date

empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Evaluation of the effectiveness of the Intraperitoneal Irrigation with tumescent solution on the intensity of postoperative pain in laparoscopic cholecystectomy patients

Public title
Evaluation of the effectiveness of the Intraperitoneal Irrigation with tumescent solution on the intensity of postoperative pain in laparoscopic cholecystectomy patients

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Patients diagnosed with symptomatic gallstones or chronic cholecystitis
Exclusion criteria:
Pregnant women aged <25 years and >70 years
emergency cholecystectomy jaundice intraoperative injury to the intestine or bile duct intraoperative bleeding gangrenous cholecystitis or emphysema obstructive jaundice choledocholithiasis coagulopathy gallbladder rupture during surgery or damage to the common bile duct cholangitis pancreatitis gallbladder carcinoma and its abnormalities previous upper abdominal surgery Unwillingness to participate in the study patients with a history of drug or alcohol abuse

Age
From **25 years** old to **70 years** old

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Investigator
- Outcome assessor

Sample size
Target sample size: **54**

Randomization (investigator's opinion)
Randomized

Randomization description
This study is a double-blind randomized clinical trial that is conducted in patients with symptomatic gallstones who refer to educational-therapeutic centers in the province and are candidates for laparoscopic cholecystectomy according to the order of the surgeon. Using the method of random blocks (Balance block randomization), they are assigned to two treatment groups A and B, the balanced randomization method for the participants in the randomized controlled clinical trial study of intraperitoneal lavage with Tamosent solution (group A) and intraperitoneal lavage with normal saline alone (group B) on postoperative pain intensity in

laparoscopic cholecystectomy patients.

Blinding (investigator's opinion)
Double blinded

Blinding description
Checklist information is provided by the secretary of the department in which people with national code are registered to the person responsible for the analysis and statistical analysis of the plan. After entering SPSS and coding 1 and 2, the results of the evaluation will be analyzed by the statistics professor, separated into intervention and control groups (which only the secretary of the department knows about). It is not known which washing method it received. The analyst and the data safety monitoring committee are not aware of which solution the patients received.

Placebo
Not used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of qazvin University of Medical Sciences

Street address

Research and Technology deputy ,Mavaddat Alley,Shahid Beheshti Blvd,Qazvin

City

Qazvin

Province

Qazvin

Postal code

3413996134

Approval date

2023-08-19, 1402/05/28

Ethics committee reference number

IR.QUMS.REC.1402.125

Health conditions studied

1

Description of health condition studied

Laparoscopic cholecystectomy

ICD-10 code

K80.0

ICD-10 code description

Calculus of gallbladder with acute cholecystitis

Primary outcomes

1

Description

intensity of postoperative pain

Timepoint

Assessment of shoulder and abdominal pain intensity at 6, 12 and 24 hours during 24 hours after surgery

Method of measurement

Visual Analog Score (VAS)

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: Intraperitoneal washing with Tamosent solution (group A): At the beginning of surgery and right after inflating the pneumoperitoneum and before any dissection of the gallbladder, the surgeon injects 200 ml of Tamosent solution (a mixture of 5 ampoules of 0.5% bupivacaine and one vial of 7.5% sodium bicarbonate in 450 ml of normal Saline) will be injected in the space under the diaphragm and the gallbladder area with the guidance of the camera. The patient was kept in the Trendelenburg position for 5 to 10 minutes. After that, the patients will be placed in the anti-Trendelenburg position to start the surgery, and the laparoscopic operation will be performed in a standard way, and the rest of the serum containing the Tamosent solution will be injected during the surgery and at the end of the operation.

Category

Treatment - Drugs

2

Description

Control group: Intraperitoneal lavage with normal saline alone (group B): After placing the laparoscopic ports, the patients will be placed in the anti-Trendelenburg position to start the surgery, and the laparoscopic operation will be performed in a standard way, and at the end of the operation, 500 ml of 0.9% normal saline will be used to wash the upper surface of the liver and below the surgical bed. A semi-right aperture will be used. After the removal of the gallbladder is completed in both groups, fluids will be completely aspirated before the pneumoperitoneum is drained. At the end of the surgery, CO₂ is carefully drained by manually compressing the abdomen with open trocars (especially through the epigastric trocar) and the drain will not be used.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Velayat hospital

Full name of responsible person

Amirarad Mahmoudi

Street address

22 Bahman Blvd., Minoodar region

City

Qazvin

Province

Qazvin

Postal code

3471976161

Phone

+98 28 3379 0620

Email

amiraradmahmoudi@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Qazvin University of Medical Sciences

Full name of responsible person

Seyyed Mehdi Mirhashemi

Street address

Research and Technology deputy ,Mavaddat Alley,Shahid Beheshti Blvd,Qazvin

City

Qazvin

Province

Qazvin

Postal code

3413996134

Phone

+98 28 3333 7006

Email

researchdpt@qums.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Qazvin University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Qazvin University of Medical Sciences

Full name of responsible person

Amirarad mahmoudi

Position

Resident

Latest degree

Medical doctor

Other areas of specialty/work

General Surgery

Street address

Bahonar street

City

Qazvin

Province

Qazvin

Postal code

34197-58911

Phone

+98 28 3333 6001

Email

amiraradmahmoudi@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Qazvin University of Medical Sciences

Full name of responsible person

Amirarad Mahmoudi

Position

Resident

Latest degree

Medical doctor

Other areas of specialty/work

General Surgery

Street address

University campus building, Bahonar Blvd

City

Qazvin

Province

Qazvin

Postal code

34197-58911

Phone

+98 28 3333 6001

Email

amiraradmahmoudi@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Qazvin University of Medical Sciences

Full name of responsible person

Amirarad Mahmoudi

Position

Resident

Latest degree

Medical doctor

Other areas of specialty/work

General Surgery

Street address

University campus building, Bahonar Blvd

City

Qazvin

Province

Qazvin

Postal code

34197-58911

Phone

+98 28 3333 6001

Email

amiraradmahmoudi@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available