

Clinical Trial Protocol

Iranian Registry of Clinical Trials

09 Jul 2026

Evaluating the effectiveness of taurine in reducing the incidence of ventilator-associated pneumonia in children undergoing mechanical ventilation in the pediatric intensive care unit of Shiraz Namazi Hospital a randomized, double-blind clinical trial

Protocol summary

Study aim

The effectiveness of taurine in reducing the incidence of ventilator-associated pneumonia in children under mechanical ventilation pediatric's intensive care unit of Namazi Hospital, Shiraz: a randomized, double-blind clinical trial.

Design

A randomized clinical trial with the control group, with parallel groups, double-blind, phase 3 on 72 patients. A table of random numbers was used for randomization.

Settings and conduct

In this study, randomization is done using a table of random numbers. In a ratio of one to one, one group receives taurine 30 mg/kg in two divided doses and another group gets a placebo 30 mg/kg in two divided doses of carboxymethyl Cellulose is given. All patient information is recorded and analyzed after collection. This study will be conducted in Namazi Hospital affiliated with Shiraz University of Medical Sciences, Shiraz, Iran.

Participants/Inclusion and exclusion criteria

Inclusion criteria: all children from 3 months to 15 years who need mechanical ventilation for more than 48 hours and the completion of the ethical consent form by their parents, exclusion criteria before randomization: malignancy, AIDS, patients with heart failure, age Less than three months, Cystic fibrosis patients

Intervention groups

Patients are randomly divided into two receiving groups: taurine or placebo (carboxymethyl cellulose) orally from the time of intubation until the patients are hospitalized in the PICU department.

Main outcome variables

The incidence rate of ventilator-associated pneumonia,
The incidence of septic shock

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20120731010453N4**

Registration date: **2023-06-29, 1402/04/08**

Registration timing: **prospective**

Last update: **2023-06-29, 1402/04/08**

Update count: **0**

Registration date

2023-06-29, 1402/04/08

Registrant information

Name

Mojtaba Shafiekhani

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 71 3242 4255

Email address

mshafikhan@sums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-07-01, 1402/04/10

Expected recruitment end date

2023-11-21, 1402/08/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Evaluating the effectiveness of taurine in reducing the incidence of ventilator-associated pneumonia in children undergoing mechanical ventilation in the pediatric intensive care unit of Shiraz Namazi Hospital arandomized, double-blind clinical trial

Public title

The effect of taurine in reducing the incidence of ventilator-associated pneumonia

Purpose

Prevention

Inclusion/Exclusion criteria

Inclusion criteria:

Willingness to participate in the study and complete the ethical consent form by the parents. All children aged 3 months to 15 years who need mechanical ventilation for more than 48 hours.

Exclusion criteria:

Malignancy, AIDS Patients with heart failure Age less than three months Cystic fibrosis patients

Age

From **3 months** old to **15 years** old

Gender

Both

Phase

3

Groups that have been masked

- Participant
- Care provider
- Investigator
- Data analyser

Sample size

Target sample size: **72**

More than 1 sample in each individual

Number of samples in each individual: **36**

36 patients are in the intervention group (taurine) and 36 patients are in the control group (placebo).

Randomization (investigator's opinion)

Randomized

Randomization description

All patients are randomly divided into two groups receiving taurine supplements or placebo by permutation blocking method. Quadruple permutation block randomization: All possible blocks are arranged as follows: Block 1: Block ABAB 2: Block AABB 3: Block ABBA 4: Block BBAA 5: Block BABA 6: BAAB We need 18 blocks to select 72 people. We choose these blocks randomly from numbers 1 to 6. For example, if number 6 is chosen as the first block and number 2 is chosen as the second block, the people entering the study will be given BAABAABB in that order. Finally, group A receives placebo and group B receives taurine.

Blinding (investigator's opinion)

Double blinded

Blinding description

In our study, the participants (patients) and the researcher do not know whether each patient received taurine or placebo. Taurine and placebo are both

prepared in the form of 250 mg capsules with the same shape, color, and size and in the same packaging. Only one of the colleagues, who does not have a role in evaluating the results and analyzing the data, knows about the division of patients based on the table of random numbers.

Placebo

Used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics Committee of Shiraz University of Medical Sciences

Street address

Shiraz, Zand Ave, Central building of Shiraz University of medical sciences.

City

Shiraz

Province

Fars

Postal code

71348-14336

Approval date

2023-06-24, 1402/04/03

Ethics committee reference number

IR.SUMS.REC.1402.149

Health conditions studied

1

Description of health condition studied

Ventilator-associated pneumonia

ICD-10 code

J95.851

ICD-10 code description

Ventilator associated pneumonia

Primary outcomes

1

Description

The incidence of ventilator-associated pneumonia

Timepoint

During the intubation period of the patient in the intensive care unit

Method of measurement

Based on the criteria of ventilator-associated pneumonia (doctor's clinical suspicion, patient's tests, patient's radiograph, and culture results)

Secondary outcomes

1

Description

The incidence of septic shock

Timepoint

As long as the patient is in the intensive care unit

Method of measurement

Diagnosis and confirmation by the doctor

Intervention groups

1

Description

Intervention group: Patients receive taurine in the amount of 30 mg/kg in the form of 250 mg capsules (in two divided doses) (from Allmax Nutrition Company) until they are hospitalized in the intensive care unit.

Category

Treatment - Drugs

2

Description

Control group: Patients receive 30 mg/kg carboxymethyl cellulose in the form of 250 mg capsules (in two divided doses) (from Merck Company) until they are hospitalized in the intensive care unit.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Namazi Hospital

Full name of responsible person

Nasrin Shirzad yazdi

Street address

Zand Ave, Namazi Square, Namazi Hospital

City

Shiraz

Province

Fars

Postal code

7193613311

Phone

+98 71 3647 4332

Email

nemazee_inf@sums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Shiraz University of Medical Sciences

Full name of responsible person

Mohammad Mehdi Hashempour

Street address

Zand Street, Central Building, Shiraz University of Medical Sciences

City

Shiraz

Province

Fars

Postal code

71348-14336

Phone

+98 71 3242 4127

Email

hashempurm@sums.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Shiraz University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Shiraz University of Medical Sciences

Full name of responsible person

Nasrin Shirzad yazdi

Position

resident

Latest degree

Medical doctor

Other areas of specialty/work

Medical Pharmacy

Street address

Abiverdi Ave, chamran Blvd

City

shiraz

Province

Fars

Postal code

7194733681

Phone

+98 71 3627 0861

Email

ny.shirzad@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Shiraz University of Medical Sciences

Full name of responsible person

Nasrin Shirzad yazdi

Position

residency

Latest degree

Medical doctor

Other areas of specialty/work

Medical Pharmacy

Street address

Faculty of Pharmacy, Shiraz, Rokn Abad, Karabehan St

City

shiraz

Province

Fars

Postal code

7146864685

Phone

+98 71 3242 4127

Email

ny.shirzad@yahoo.com

Person responsible for updating data

Contact

Name of organization / entity

Shiraz University of Medical Sciences

Full name of responsible person

Nasrin Shirzad yazdi

Position

residency

Latest degree

Medical doctor

Other areas of specialty/work

Medical Pharmacy

Street address

Faculty of Pharmacy, Shiraz, Rokn Abad, Karabehan St

City

shiraz

Province

Fars

Postal code

7146864685

Phone

+98 71 3242 4127

Email

ny.shirzad@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available