

Clinical Trial Protocol

Iranian Registry of Clinical Trials

26 Jun 2026

Investigating the effect of nutrition counseling based on carbohydrate counting, glycemic index and reducing energy consumption on glycemic, lipidemic, anthropometric control indicators, and blood pressure in patients with type 2 diabetes

Protocol summary

Study aim

Determining the effect of nutritional counseling based on carbohydrate counting, glycemic profile and reducing energy consumption on glycemic, lipid, anthropometric and blood pressure control indicators of patients with T2DM referring to Urmia Imam Khomeini hospital and Tadbir clinic

Design

Randomized clinical trial before and after, with an intervention group and a control group on 94 patients

Settings and conduct

This study is a parallel randomized controlled clinical trial in the field of investigating the effect of nutritional counseling with the approach of carbohydrate counting, glycemic index and reducing energy consumption on glycemic, lipid, anthropometric and blood pressure indicators of type 2 diabetes patients referring to Imam Khomeini Hospital and Tadbir clinic in Urmia city has been designed. 94 patients will be randomly assigned to 2 intervention and control groups.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Refer to Imam Khomeini hospital and Tadbir clinic in Urmia city; Having T2DM; No insulin injection; Exclusion criteria: pregnancy and breastfeeding; Gastroparesis; Following a special diet; Consumption of nutritional supplements in the last 3 months

Intervention groups

The control group will receive nutritional recommendations according to the nutritional training package in the field of health by the researcher. People in the intervention group will have 3 face-to-face 20-minute counseling sessions with the researcher on a weekly basis. The sessions will include anthropometric assessment, food intake and physical activity, familiarization with the simple carbohydrate counting

method, food groups and food classification in terms of glycemic index, and diet plan.

Main outcome variables

Weight; Waist circumference; fasting plasma glucose; 2 hour post prandial glucose; Lipid profile; systolic blood pressure; diastolic blood pressure

General information

Reason for update

After the implementation of this project in August and September 1402 in the registered sampling center (Dizaj Siavosh Health Center, Urmia city), due to some problems and limitations, including the insufficient number of diabetic patients to the health center and the lack of the required sample size in the estimated period of time and the lack of cooperation and follow-up of patients with the health center, the implementation of the plan was stopped and the sampling center and the method of implementation of the plan were reviewed and edited again.

Acronym

IRCT registration information

IRCT registration number: **IRCT20170206032417N7**
Registration date: **2023-07-24, 1402/05/02**
Registration timing: **prospective**

Last update: **2025-05-16, 1404/02/26**

Update count: **2**

Registration date

2023-07-24, 1402/05/02

Registrant information

Name

Mohammad Alizadeh

Name of organization / entity

Urmia University of Medical Sciences

Country
Iran (Islamic Republic of)

Phone
+98 44 3275 2375

Email address
alizadeh.m@umsu.ac.ir

Recruitment status
Recruitment complete

Funding source

Expected recruitment start date
2024-01-05, 1402/10/15

Expected recruitment end date
2024-07-05, 1403/04/15

Actual recruitment start date
empty

Actual recruitment end date
empty

Trial completion date
empty

Scientific title
Investigating the effect of nutrition counseling based on carbohydrate counting, glycemic index and reducing energy consumption on glycemic, lipidemic, anthropometric control indicators, and blood pressure in patients with type 2 diabetes

Public title
Investigating the effect of carbohydrate counting counseling in type 2 diabetes

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
Refer to Imam khomeini educational-therapeutic center and Tadbir clinic in Urmia city Having T2DM based on a physician's diagnosis and FPG criteria equal to and greater than 126 mg/dL and HbA1C equal to and greater than 6.5% Age above 18 years No insulin injection
Exclusion criteria:
Pregnancy and breastfeeding Gastroparesis Following a special diet Consumption of nutritional supplements in the last 3 months

Age
From **18 years** old

Gender
Both

Phase
N/A

Groups that have been masked
No information

Sample size
Target sample size: **94**

Randomization (investigator's opinion)
Randomized

Randomization description
Randomization of the samples using the Stratified Block Randomization by random allocation method based on the two variables of age and gender (use of card number 1 and also card number 2 according to the number of

patients present in the study and random selection of cards) into two intervention groups and Control will be divided.

Blinding (investigator's opinion)

Not blinded

Blinding description

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Research Ethics Committees of Urmia University of Medical Sciences

Street address

Resalat Blvd., emergency area, Urmia University of Medical Sciences

City

Urmia

Province

West Azarbaijan

Postal code

5714783734

Approval date

2023-06-24, 1402/04/03

Ethics committee reference number

IR.UMSU.REC.1402.085

Health conditions studied

1

Description of health condition studied

Type 2 diabetes mellitus

ICD-10 code

E11

ICD-10 code description

Type 2 diabetes mellitus

Primary outcomes

1

Description

fasting blood sugar

Timepoint

Fasting blood sugar measurement at the beginning of the study (before the start of the intervention) and 16 week of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Enzymatic method - international unit per liter

2

Description

Glycosylated hemoglobin A1c

Timepoint

Measurement of glycosylated hemoglobin A1c at the beginning of the study (before the start of the intervention) and week 16 of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Enzymatic method - milligrams per deciliter

3

Description

Waist circumference

Timepoint

Measurement of waist circumference at the beginning of the study (before the start of the intervention) and week 16 of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Tape meters-centimeters

4

Description

Systolic blood pressure

Timepoint

Measurement of systolic blood pressure at the beginning of the study (before the start of the intervention) and week 16 of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Digital sphygmomanometer - millimeters of mercury(mmHg)

5

Description

Diastolic blood pressure

Timepoint

Measurement of diastolic blood pressure at the beginning of the study (before the start of the intervention) and week 16 of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Digital sphygmomanometer - millimeters of mercury(mmHg)

6

Description

Triglyceride

Timepoint

Measurement of triglyceride at the beginning of the study (before the start of the intervention) and week 16 of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Enzymatic method - milligrams per deciliter

7

Description

LDL-cholesterol

Timepoint

Measurement of LDL-cholesterol at the beginning of the study (before the start of the intervention) and week 16 of the study (12 weeks after the completion of the counseling sessions of the intervention group)

Method of measurement

Enzymatic method - milligrams per deciliter

8

Description

HDL-cholesterol

Timepoint

HDL-cholesterol measurement at the beginning of the study (before the start of the intervention) and the 16th week of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Enzymatic method - milligrams per deciliter

9

Description

2 hour post prandial glucose

Timepoint

2 hour post prandial glucose measurement at the beginning of the study (before the start of the intervention) and the 16th week of the study (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Enzymatic method - milligrams per deciliter

Secondary outcomes

1

Description

Weight

Timepoint

Weight measurement at the beginning of the study (before the start of the intervention) and week 16 (12 weeks after the end of the counseling sessions of the intervention group)

Method of measurement

Scale-kilogram

2

Description

Total cholesterol

Timepoint

Total cholesterol measurement at the beginning of the study (before the start of the intervention) and week 16 (12 weeks after

Method of measurement

Enzymatic method - milligrams per deciliter

3

Description

Body mass index

Timepoint

Body mass index measurement at the beginning of the study (before the start of the intervention) and week 16 (12 weeks after)

Method of measurement

Weight/ height squared

Intervention groups

1

Description

Intervention group: People in the intervention group will have 3 face-to-face 20-minute counseling sessions with the researcher on a weekly basis. In the first session, anthropometry, food intake and physical activity are evaluated. Also, the role and importance of blood sugar control in T2DM is explained and the goals of the simple carbohydrate counting method are explained. In the second session, the diet, whose calories are calculated based on 25-35 kcal per body weight, is presented to the people. The diet of people with a BMI lower than 25 is isocaloric, and 250 kilocalories will be deducted from the calories of the diet of people with a BMI higher than 25. For people with a BMI above 35, the adjusted ideal body weight will be used. (Adjusted ideal body weight is calculated by adding one-fourth of the excess weight to the ideal weight. Ideal weight is calculated using the Hammwi formula.) The percentage of energy from macronutrients will be 15 to 20% of total calories for protein, depending on the protein status. Carbohydrates will be 50-55% and fat 30%. The amount of carbohydrates is distributed in the form of shares of different food groups containing carbohydrates in 3 main meals and 3 snacks. The number of portions is given to the patient along with examples, and the method of implementing the diet, the size of the portions, and the amount of carbohydrates are explained. In this session, patients will get to know the 7 food groups of bread and grains, simple sugars, fruits, dairy, meat, vegetables and oils, and they will receive a list of food substitutions and an explanation of how to implement it. The third session explains about the nutritional composition table label of packaged food products and how to calculate their carbohydrate content. Also, the third session will include familiarization with the glycemic index of foods, which will be presented to people with relevant recommendations and a list of categories of foods according to their glycemic index. In each meeting, the topics of the previous meeting are fixed and problems are solved. Until the end of the intervention period, a 3-day food recall will be taken from the participants by phone every month. A total of 5 food recall for 3 days with 15 days of review will be collected from the participants. Also, in order to ensure compliance with the training and answer possible questions, people will be contacted every week, followed up and encouraged to continue working. Counseling for disabled and elderly patients or those unable to read is provided to the

accompanying person.

Category

Treatment - Other

2

Description

Control group: People in the control group will receive a sheet of nutritional recommendations for diabetics according to the nutrition training package in the health transformation program in the field of health, by the researcher, which is a 15-minute counseling session. Until the end of the study period, a 3-day food recall (15 reminders in total) will be collected from the control group every month.

Category

Treatment - Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Tadbir specialized and sub-specialized clinic

Full name of responsible person

Laya Hooshmand Garehbagh

Street address

Amar street-Alley 13

City

Urmia

Province

West Azarbaijan

Postal code

571478373

Phone

+98 44 3346 2420

Email

laya.hooshmand@gmail.com

Web page address

<https://tadbir.umsu.ac.ir/>

2

Recruitment center

Name of recruitment center

Imam Khomeini educational-therapeutic center

Full name of responsible person

Laya Hooshmand Garehbagh

Street address

Ershad Ave-Modarres Blvd

City

Urmia

Province

West Azarbaijan

Postal code

5715781351

Phone

+98 44 3345 9538

Fax

+98 44 3346 9935

Email

laya.hooshmand@gmail.com

Web page address

https://imam.umsu.ac.ir/

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Oroumia University of Medical Sciences

Full name of responsible person

Dr. Mohammad Amin Valizadeh Hasanloui

Street address

Urmia, Resalat Blvd., Emergency valley, Headquarters of Urmia University of Medical Sciences

City

Urmia

Province

West Azarbaijan

Postal code

5714783734

Phone

+98 44 3193 4150

Email

aminvalizade@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Oroumia University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Oroumia University of Medical Sciences

Full name of responsible person

Dr. Mohammad Alizadeh

Position

Professor of Nutritional Sciences

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street address

Km 11 Nazlu Highway, Urmia University of Medical Sciences, Faculty of Medicine, Department of Nutrition

City

Urmia

Province

West Azarbaijan

Postal code

5715799313

Phone

+98 44 3275 2375

Email

alizadeh.m@umsu.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity

Oroumia University of Medical Sciences

Full name of responsible person

Dr. Mohammad Alizadeh

Position

PhD in nutrition sciences/professor of Urmia University of Medical Sciences and faculty member

Latest degree

Ph.D.

Other areas of specialty/work

Nutrition

Street address

Km 11 Nazlu Highway, Urmia University of Medical Sciences, Faculty of Medicine, Department of Nutrition

City

Urmia

Province

West Azarbaijan

Postal code

5315799313

Phone

+98 44 3275 2375

Email

alizadeh.m@umsu.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Oroumia University of Medical Sciences

Full name of responsible person

Fatemeh Pirmaddah saravani

Position

Master student of nutrition science

Latest degree

Bachelor

Other areas of specialty/work

Nutrition

Street address

Km 11 Nazlu Highway, Urmia University of Medical Sciences, Faculty of Medicine, Department of Nutrition

City

Urmia

Province

West Azarbaijan

Postal code

5715799313

Phone

+98 44 3257 2357

Email

pirmaddah.f@umsu.ac.ir

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available