

Clinical Trial Protocol

Iranian Registry of Clinical Trials

13 Jul 2026

Comparison of Effect of Swedish Massage and Hip Strengthening Exercises on Pain, Range of Motion and Daily Life Function in The Elderly with Knee Osteoarthritis

Protocol summary

Study aim

Determining the comparative effect of Swedish massage and hip strengthening exercises on pain, range of motion and daily life function in the elderly with knee osteoarthritis.

Design

75 eligible seniors will be divided into two intervention groups and one control group using a simple random division method using a random number table, and the type of intervention will be determined again by random division.

Settings and conduct

The intervention is carried out on elderly people with knee osteoarthritis who refer to the outpatient clinic of Rafsanjan city. Both interventions are done individually at home.

Participants/Inclusion and exclusion criteria

Inclusion criteria: patients aged 60 to 70 years, mentally alert, suffering from knee osteoarthritis according to a rheumatologist's diagnosis, presence of pain along with at least 3 out of 6 clinical criteria of the American Rheumatology Association and suffering from this disease duration of at least 6 months and at most 5 years, having chronic pain, having a basic score of 40-70 for knee pain on the VAS scale, Absence of skin problems at the massage site, No history of other autoimmune diseases and chronic neuropathic diseases, no intra-articular injection in the past three months, no history of knee surgery and severe knee injury and Non-entry criteria: having health problems affecting exercise and massage and chronic use of knee braces, crutches and having a regular exercise program

Intervention groups

Both intervention groups participate in two training sessions with one of their family members, and the Swedish massage protocol and hip strengthening exercises are taught in each group by the researcher

using a training booklet and pictures. Then both trained groups perform the interventions for 8 weeks and 3 sessions of 30 minutes per week at home.

Main outcome variables

Pain, range of motion and daily life function

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20150519022320N33**

Registration date: **2023-08-12, 1402/05/21**

Registration timing: **prospective**

Last update: **2023-08-12, 1402/05/21**

Update count: **0**

Registration date

2023-08-12, 1402/05/21

Registrant information

Name

Tayebeh Mirzaei

Name of organization / entity

Rafsanjan University of Medical Sciences

Country

Iran (Islamic Republic of)

Phone

+98 34 3425 5900

Email address

t.mirzaei@rums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-09-23, 1402/07/01

Expected recruitment end date

2023-10-23, 1402/08/01 Actual recruitment start date empty Actual recruitment end date empty Trial completion date empty Scientific title Comparison of Effect of Swedish Massage and Hip Strengthening Exercises on Pain, Range of Motion and Daily Life Function in The Elderly with Knee Osteoarthritis Public title Comparison of Effect of Swedish Massage and Hip Strengthening Exercises on Pain, Range of Motion and Daily Life Function in The Elderly with Knee Osteoarthritis Purpose Supportive Inclusion/Exclusion criteria Inclusion criteria: Patients aged 60 to 70 years People who are mentally alert and able to answer the questions of the questionnaires Patients with osteoarthritis of the knee according to the diagnosis of a rheumatologist, the presence of pain along with at least 3 of the 6 clinical criteria of the American Rheumatology Association and suffering from this disease for a minimum of 6 months and a maximum of 5 years Having pain for more than three months (chronic pain) Have a basic score of 40-70 (out of 100) for knee pain on the VAS scale. Absence of local skin infections or open skin in massage areas No history of other autoimmune diseases such as lupus erythematosus, rheumatoid arthritis and chronic neuropathic diseases such as diabetes No intra-articular injection during the last three months No history of knee surgery and severe injury to the knee Exclusion criteria: Having health problems that affect Swedish massage and exercises, such as heart and brain disorders chronic use of knee braces, crutches, and walkers having a regular exercise program in the previous 6 months Age From 60 years old to 70 years old Gender Both Phase N/A Groups that have been masked <i>No information</i> Sample size Target sample size: 75 Randomization (investigator's opinion) Randomized Randomization description After determining the samples, the data will be divided into 3 groups A, B, and C according to age and sex, in such a way that the first data in one of the 3 groups will be divided by a simple random method and using the "Random allocation software" are selected and and in the next 2 groups, the data is allocated in the same way based on the software. After allocating the data equally	to 3 groups, treatment methods were written on 3 separate sheets and a method will be assigned to each group by lottery, and the intervention groups of Swedish massage and Hip Strengthening Exercises and the Control group will be determined. Blinding (investigator's opinion) Not blinded Blinding description Placebo Not used Assignment Parallel Other design features Secondary Ids empty Ethics committees 1 Ethics committee Name of ethics committee Research Ethics Committee of Rafsanjan University of Medical Sciences Street address School of Nursing and Midwifery, Nurse avenue, Rafsanjan City Rafsanjan Province Kerman Postal code 7718796755 Approval date 2023-08-08, 1402/05/17 Ethics committee reference number IR.RUMS.REC.1402.068 Health conditions studied 1 Description of health condition studied Knee Osteoarthritis ICD-10 code M17 ICD-10 code description Osteoarthritis of knee Primary outcomes 1 Description pain Timepoint All participants will complete the visual analog scale before the intervention and immediately after the end of the intervention. Method of measurement
---	--

Visual Analogue Scale

2

Description

Range of motion

Timepoint

The range of motion of all participants will be measured by a goniometer before the intervention and immediately after the end of the intervention.

Method of measurement

goniometer

3

Description

daily life function

Timepoint

All participants will complete the sub-scale of daily life function from Knee Injuries and Osteoarthritis Outcome Questionnaire (KOOS) before the intervention and immediately after the end of the intervention.

Method of measurement

sub-scale of daily life function knee Injury and Osteoarthritis Outcome Score (KOOS)

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: Swedish massage intervention group participates in two face-to-face educational sessions with one of their family members, and the massage protocol is taught by the researcher using a training booklet and pictures, and at the end of the sessions, all the elderly are taught one by one. They are evaluated in terms of performing the massage correctly around their knee joint. Then, for 8 weeks, 3 sessions a week and each session for 30 minutes at home, according to the training method, they apply Swedish massage on their knee joint. They are also provided with educational booklets and pictures. During the study, all participants are monitored through telephone follow-ups and can raise their questions and problems, and they are also reminded to perform massage in each session.

Category

Treatment - Other

2

Description

Intervention group: The intervention group of hip strengthening exercises together with one of their family members participates in two face-to-face training sessions and the protocol of doing the exercises is taught by the researcher using training booklets and pictures, and at the end of the sessions, all the elderly are taught one by one. They are evaluated in terms of doing the

exercises correctly. Then, for 8 weeks, 3 sessions per week and each session for 30 minutes, they perform hip strengthening exercises at home according to the training method. They are also provided with educational booklets and pictures. During the study, all participants are monitored through telephone follow-ups and can raise their questions and problems, and are also reminded to do the exercises of each session.

Category

Treatment - Other

3

Description

Control group: The control group receives routine treatment, which includes conventional drugs and treatments under the supervision of a rheumatology specialist, and the researcher does not intervene on them.

Category

Other

Recruitment centers

1

Recruitment center

Name of recruitment center

Outpatient rheumatology clinic of Rafsanjan city

Full name of responsible person

Dr. Ali Ravari

Street address

Faculty of Nursing, Nurse Blvd., Jomhury street, Rafsanjan

City

Rafsanjan

Province

Kerman

Postal code

7718174715

Phone

+98 34 3428 0038

Email

ravary4776@yahoo.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Rafsanjan University of Medical Sciences

Full name of responsible person

Dr.Reza Vazirinejad

Street address

Emam Ali Blvd

City

Rafsanjan

Province

Kerman

Postal code

7718174715

Phone
+98 34 3131 5075
Email
rvazirinejad@yahoo.com
Grant name
Grant code / Reference number
Is the source of funding the same sponsor organization/entity?
Yes
Title of funding source
Rafsanjan University of Medical Sciences
Proportion provided by this source
100
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact
Name of organization / entity
Rafsanjan University of Medical Sciences
Full name of responsible person
Dr. Ali Ravari
Position
Associate Professor
Latest degree
Ph.D.
Other areas of specialty/work
Nursery
Street address
Faculty of Nursing, Nurse Blvd., Jomhury street,
Rafsanjan
City
Rafsanjan
Province
Kerman
Postal code
7718174715
Phone
+98 34 3428 0038
Email
ravary4776@yahoo.com

Person responsible for scientific inquiries

Contact
Name of organization / entity
Rafsanjan University of Medical Sciences
Full name of responsible person
Dr. Ali Ravari
Position
Associate Professor
Latest degree
Ph.D.

Other areas of specialty/work
Nursery
Street address
Faculty of Nursing, Nurse Blvd., Jomhury street,
Rafsanjan
City
Rafsanjan
Province
Kerman
Postal code
7718174715
Phone
+98 34 3428 0038
Email
ravary4776@yahoo.com

Person responsible for updating data

Contact
Name of organization / entity
Rafsanjan University of Medical Sciences
Full name of responsible person
Dr. Ali Ravari
Position
Associate Professor
Latest degree
Ph.D.
Other areas of specialty/work
Nursery
Street address
Faculty of Nursing, Nurse Blvd., Jomhury street,
Rafsanjan
City
Rafsanjan
Province
Kerman
Postal code
7718174715
Phone
+98 34 3428 0038
Email
ravary4776@yahoo.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)
Undecided - It is not yet known if there will be a plan to make this available
Study Protocol
Undecided - It is not yet known if there will be a plan to make this available
Statistical Analysis Plan
Undecided - It is not yet known if there will be a plan to make this available
Informed Consent Form
Undecided - It is not yet known if there will be a plan to make this available
Clinical Study Report
Undecided - It is not yet known if there will be a plan to make this available
Analytic Code
Undecided - It is not yet known if there will be a plan to

make this available
Data Dictionary

Undecided - It is not yet known if there will be a plan to
make this available