

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

26 May 2026

### Comparison of the effect of two drugs bromelain and ibuprofen in combination with acetaminophen and corticosteroid on pain and trismus after mandibular third molar surgery

#### Protocol summary

##### Study aim

The aim is to replace ibuprofen with a herbal compound with fewer side effects for pain relief in patients after wisdom teeth surgery

##### Design

Clinical trial with a control group, with parallel groups, double-blind, phase 1-2 on 80 patients. Stratification by simple randomization method using a sealed envelope will contain one bead (white bead of the intervention group, red bead of the control group).

##### Settings and conduct

Patients in need of mandibular third molar tooth surgery will be operated by a surgeon at Imam Reza Clinic (AS) in Shiraz. After surgery, patients are divided into two groups (intervention and control) by simple random allocation method. Medicines along with prescription instructions will be provided to patients. Patients receive the medicine in sealed envelopes with black cover that are coded (A and B). After starting the treatment, on days 1, 3 and 7, the pain level and degree of trismus of the patients are measured and recorded in a checklist. The study will be double-blind. Neither the patients nor the researcher will be aware of the type of drug given to the patients.

##### Participants/Inclusion and exclusion criteria

Inclusion criteria include the need for mandibular third molar surgery, age between 17-35 years, and semi-occluded mesiangular mandibular third molar teeth. Patients who have taken painkillers or other drugs before surgery, have a history of drug addiction or are allergic to the drugs used in the study will not be included in the study.

##### Intervention groups

Intervention group: Bromelain will be given along with acetaminophen and corticosteroid after surgery Control group: After the surgery, ibuprofen along with acetaminophen and corticosteroids will be given

#### Main outcome variables

Main outcome variables of pain and trismus

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20230131057290N1**

Registration date: **2023-08-14, 1402/05/23**

Registration timing: **prospective**

Last update: **2023-08-14, 1402/05/23**

Update count: **0**

##### Registration date

2023-08-14, 1402/05/23

##### Registrant information

##### Name

Ali Kochi

##### Name of organization / entity

##### Country

Iran (Islamic Republic of)

##### Phone

+98 71 3336 7545

##### Email address

aliahmadiden@gmail.com

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2023-08-23, 1402/06/01

##### Expected recruitment end date

2023-09-21, 1402/06/30

##### Actual recruitment start date

empty

##### Actual recruitment end date

empty

**Trial completion date**  
empty

**Scientific title**  
Comparison of the effect of two drugs bromelain and ibuprofen in combination with acetaminophen and corticosteroid on pain and trismus after mandibular third molar surgery

**Public title**  
Comparison of the effect of bromoline drug on pain and trismus after dental surgery

**Purpose**  
Treatment

**Inclusion/Exclusion criteria**  
**Inclusion criteria:**  
Needing mandibular third molar surgery Age between 17-35 years Semi-embedded mesiangular mandibular third molar teeth  
**Exclusion criteria:**  
Patients who have taken painkillers or other drugs within 24 hours before surgery. have a history of addiction to drugs or painkillers Patients who are pregnant or breastfeeding, or have a known sensitivity to analgesics, common non-steroidal anti-inflammatories or cyclooxygenase-2 inhibitors. Those who have a history of nasal polyps, bronchospasm or angioedema caused by non-steroidal anti-inflammatories. Patients who were not able to take medicine orally

**Age**  
From **17 years** old to **35 years** old

**Gender**  
Both

**Phase**  
1-2

**Groups that have been masked**

- Participant
- Investigator

**Sample size**  
Target sample size: **80**

**Randomization (investigator's opinion)**  
Randomized

**Randomization description**  
In order to randomize in this study, simple randomization method will be used. Randomization will be done using a sealed envelope containing a bead. If there is a white bead in the envelope, the patient will be in the intervention group, and if the envelope contains a red bead, he will be placed in the control group.

**Blinding (investigator's opinion)**  
Double blinded

**Blinding description**  
This study will be a double-blind study. The evaluated drugs are placed in the same packages and will be provided to the patients along with the prescription instructions. Patients receive the medicine in sealed envelopes with black cover that are coded (A and B). Study drugs are administered to patients by an independent surgeon. Therefore, neither the patients nor the researchers will be aware of the type of drug given to

the patients.

**Placebo**  
Not used

**Assignment**  
Parallel

**Other design features**

**Secondary Ids**  
empty

**Ethics committees**

**1**

**Ethics committee**  
**Name of ethics committee**  
Ethics Committee of Shiraz University of Medical Sciences  
**Street address**  
Zand St., Central Building of Shiraz University of Medical Sciences  
**City**  
shiraz  
**Province**  
Fars  
**Postal code**  
7134814336

**Approval date**  
2023-07-05, 1402/04/14

**Ethics committee reference number**  
IR.SUMS.DENTAL.REC.1402.040

**Health conditions studied**

**1**

**Description of health condition studied**

**ICD-10 code**

**ICD-10 code description**

**Primary outcomes**

**1**

**Description**  
pain

**Timepoint**  
1, 3 and 7 days after surgery

**Method of measurement**  
A visual analogue scale (VAS), with 10 points, will be evaluated from 0 for "no pain" to 10 for "worst possible pain".

**2**

**Description**  
Trismus

**Timepoint**

1, 3 and 7 days after surgery

#### Method of measurement

The degree of trismus is also measured by measuring the inter-incisal distance using a measuring caliper and the results are reported with an accuracy of 0.01 mm.

### Secondary outcomes

empty

### Intervention groups

#### 1

##### Description

Intervention group: 500 mg bromelain drug (Permon Amin Pharmaceutical Company) along with acetaminophen 325 mg every 8 hours (three times a day) and corticosteroids including dexamethasone 8 mg by intramuscular injection in one session immediately after surgery.

##### Category

Treatment - Drugs

#### 2

##### Description

Control group: Ibuprofen drug 200 mg (Hakim Pharmaceutical Company) along with acetaminophen 325 mg every 8 hours (three times a day) and corticosteroid including dexamethasone 8 mg as intramuscular injection in one time immediately after surgery.

##### Category

Treatment - Drugs

### Recruitment centers

#### 1

##### Recruitment center

###### Name of recruitment center

Imam Reza Clinic in Shiraz

###### Full name of responsible person

Ilnaz Ghanbari

###### Street address

Prayer Square - Imam Reza Clinic

###### City

Shiraz

###### Province

Fars

###### Postal code

7134814734

###### Phone

+98 71 3211 2700

###### Email

ilnazaghanbari@sums.ac.ir

### Sponsors / Funding sources

#### 1

##### Sponsor

###### Name of organization / entity

Shiraz University of Medical Sciences

###### Full name of responsible person

Research assistant

###### Street address

Zand St., Central Building of Shiraz University of Medical Sciences

###### City

shiraz

###### Province

Fars

###### Postal code

7134814336

###### Phone

+98 71 3230 5410

###### Email

hashempurm@sums.ac.ir

##### Grant name

##### Grant code / Reference number

##### Is the source of funding the same sponsor organization/entity?

Yes

##### Title of funding source

Shiraz University of Medical Sciences

##### Proportion provided by this source

100

##### Public or private sector

Public

##### Domestic or foreign origin

Domestic

##### Category of foreign source of funding

empty

##### Country of origin

##### Type of organization providing the funding

Academic

### Person responsible for general inquiries

##### Contact

###### Name of organization / entity

Shiraz University of Medical Sciences

###### Full name of responsible person

Ilnaz Ghanbari

###### Position

Assistant Professor of Oral and Maxillofacial Surgery

###### Latest degree

Specialist

###### Other areas of specialty/work

Dentistry

###### Street address

Qomabad St. Qasrdasht - School of Dentistry

###### City

shiraz

###### Province

Fars

###### Postal code

1587871956

###### Phone

+98 71 3628 0112

###### Email

ilnazaghanbari@sums.ac.ir

## Person responsible for scientific inquiries

### Contact

**Name of organization / entity**

Shiraz University of Medical Sciences

**Full name of responsible person**

Ilnaz Ghanbari

**Position**

Assistant Professor of Oral and Maxillofacial Surgery

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

Qomabad Qasrdasht St. - School of Dentistry

**City**

shiraz

**Province**

Fars

**Postal code**

1587871956

**Phone**

+98 71 3628 0112

**Email**

ilnazaghanbari@sums.ac.ir

## Person responsible for updating data

### Contact

**Name of organization / entity**

Shiraz University of Medical Sciences

**Full name of responsible person**

Ilnaz Ghanbari

**Position**

Assistant Professor of Oral and Maxillofacial Surgery

**Latest degree**

Specialist

**Other areas of specialty/work**

Dentistry

**Street address**

Qomabad Qasrdasht St. - School of Dentistry

**City**

shiraz

**Province**

Fars

**Postal code**

1587871956

**Phone**

+98 71 3628 0112

**Email**

ilnazaghanbari@sums.ac.ir

## Sharing plan

**Deidentified Individual Participant Data Set (IPD)**

No - There is not a plan to make this available

**Justification/reason for indecision/not sharing IPD**

The data will remain confidential with the researcher and will only be used to carry out this research project.

**Study Protocol**

No - There is not a plan to make this available

**Statistical Analysis Plan**

No - There is not a plan to make this available

**Informed Consent Form**

No - There is not a plan to make this available

**Clinical Study Report**

No - There is not a plan to make this available

**Analytic Code**

No - There is not a plan to make this available

**Data Dictionary**

No - There is not a plan to make this available