

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

09 Jun 2026

### Studying the Effects of Pyridostigmine on Dysphagia in Patients With Multiple Sclerosis: a Randomized Triple-Blind Placebo-Controlled Clinical Trial

#### Protocol summary

##### Study aim

Studying the effects of pyridostigmine on dysphagia in patients with multiple sclerosis

##### Design

Clinical trial with two arms, intervention group with pyridostigmine and control group with placebo, parallel grouping, a total of 48 participants, triple blinded, block randomization with blocks of 4 using software.

##### Settings and conduct

Patients with multiple sclerosis who are referring to Sina hospital, using convenient sampling. The participants will take either pyridostigmine or placebo for three weeks. The dose of study is 60 mg tablets, three times a day.

##### Participants/Inclusion and exclusion criteria

Inclusion Criteria: A definite diagnosis of multiple sclerosis is made based on the 2017 McDonald criteria The patient's willingness toward participation and cooperation. A minimum Age of 18 and maximum of 55. A DYMUS score of at least 3 Exclusion Criteria: Other neurological disorders Any comorbidity due to previous neurological disorders The patient is currently pregnant or breastfeeding. A history of relapse (if MS type is relapsing-remitting) in the previous 3 months. An Expanded Disability Status Scale (EDSS) score above 7.5. Dysphagia caused by other disorders than MS. Currently being under treatment with pyridostigmine for any reasons. A history of hypersensitivity to anticholinesterase inhibitors or any of the compounds in our placebo. Having a decision to start any other treatment for dysphagia in time of the study, or having started in the last 3 months. The patient has mechanical obstruction in intestinal or urinary tract.

##### Intervention groups

Intervention group: pyridostigmine tablet, PO, three times a day for three weeks. Control group: placebo tablet, the same dosing as pyridostigmine group

##### Main outcome variables

Patient's score in DYMUS, EAT-10 and SWAL-QOL questionnaires

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20090429001859N11**

Registration date: **2023-09-10, 1402/06/19**

Registration timing: **prospective**

Last update: **2023-09-10, 1402/06/19**

Update count: **0**

##### Registration date

2023-09-10, 1402/06/19

##### Registrant information

##### Name

Mohammad Ali Sahraian

##### Name of organization / entity

Tehran University of Medical Sciences

##### Country

Iran (Islamic Republic of)

##### Phone

+98 21 6634 8571

##### Email address

msahrai@sina.tums.ac.ir

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2023-09-23, 1402/07/01

##### Expected recruitment end date

2024-07-21, 1403/04/31

##### Actual recruitment start date

empty

**Actual recruitment end date**

empty

**Trial completion date**

empty

**Scientific title**

Studying the Effects of Pyridostigmine on Dysphagia in Patients With Multiple Sclerosis: a Randomized Triple-Blind Placebo-Controlled Clinical Trial

**Public title**

The Effects of Pyridostigmine on Dysphagia in Patients With Multiple Sclerosis

**Purpose**

Treatment

**Inclusion/Exclusion criteria****Inclusion criteria:**

A diagnosis of multiple sclerosis is made by a neurologist specialized in multiple sclerosis, based on the 2017 McDonald criteria, and the patient is receiving treatment for multiple sclerosis. After explaining the goals and methods of the study and all the sections of the informed consent form, the patient is willing towards participation and cooperation. The patient has a DYMUS score of at least 3, based on the persian version of the questionnaire.

**Exclusion criteria:**

Any comorbidity due to previous neurological disorders, e.g. previous cerebrovascular accidents. Other neurological disorders A history of relapse (if MS type is relapsing-remitting) in the previous 3 months. An Expanded Disability Status Scale (EDSS) score above 7.5. Currently being under treatment with pyridostigmine for any reasons. A history of hypersensitivity to anticholinesterase inhibitors or any of the compounds found in our placebo. The patient has mechanical obstruction in intestinal or urinary tract. The patient is currently pregnant or breastfeeding. Dysphagia caused by other disorders than MS. Having a decision to start any other treatment for dysphagia in time of the study, or having started in the last 3 months.

**Age**

From **18 years** old to **55 years** old

**Gender**

Both

**Phase**

N/A

**Groups that have been masked**

- Participant
- Care provider
- Investigator
- Outcome assessor
- Data analyser

**Sample size**

Target sample size: **48**

**Randomization (investigator's opinion)**

Randomized

**Randomization description**

Randomization will be done by classifying participants into pyridostigmine and placebo groups, using non-stratified block randomization with blocks of 4,

containing 2 spots for pyridostigmine and 2 spots for placebo each. A computer generated list will be prepared, which will have letters "A" and "B" assigned to each group of pyridostigmine or placebo. Then an ID will be assigned to each spot in the blocks in that list, using a combination of 4 English characters (digits or letters, e.g. T1D8). The same IDs will be put on drug containers. Study conductors will use an ordered list of these IDs and will deliver the participants their IDs and the corresponding drug containers, based on the order of IDs list and the order of participation.

**Blinding (investigator's opinion)**

Triple blinded

**Blinding description**

In order to make this study triple blinded, all the steps of block randomization will be done by a person who is not involved in this study, which consists of preparing the computer generated randomized list, computer generated IDs, assigning the IDs to blocks and preparing the order of IDs. These IDs will be put on the containers and then the container will be filled with either pyridostigmine or placebo, in regards with their position in the blocks (A or B) by the same person. Then the containers will be passed to study conductors along with the order of the IDs. Thus the participants, researchers, neurologists, and data analysts will be fully blinded. The list that decrypts whether each ID has received placebo or pyridostigmine will be received and opened at the end of the study and only after complete analysis of results.

**Placebo**

Used

**Assignment**

Parallel

**Other design features****Secondary Ids**

empty

**Ethics committees****1****Ethics committee****Name of ethics committee**

Research Ethics Committees of Sina Hospital

**Street address**

Sina Hospital, Hasan Abad Sq., Imam Khomeini Ave., 12th district

**City**

Tehran

**Province**

Tehran

**Postal code**

1136746911

**Approval date**

2023-09-03, 1402/06/12

**Ethics committee reference number**

IR.TUMS.SINAHOSPITAL.REC.1402.072

## Health conditions studied

### 1

#### Description of health condition studied

Multiple Sclerosis

#### ICD-10 code

G35

#### ICD-10 code description

Multiple sclerosis

### 2

#### Description of health condition studied

Dysphagia

#### ICD-10 code

R13.1

#### ICD-10 code description

Dysphagia

## Primary outcomes

### 1

#### Description

Patient's score based on the Persian version of DYMUS questionnaire

#### Timepoint

In the beginning of the study, and after 1 and 3 weeks of intervention

#### Method of measurement

Persian version of DYMUS questionnaire

## Secondary outcomes

### 1

#### Description

Patient's score based on the Persian version of EAT-10 questionnaire

#### Timepoint

In the beginning of the study, and after 1 and 3 weeks of intervention

#### Method of measurement

Persian version of EAT-10 questionnaire

### 2

#### Description

Patient's score based on the Persian version of SWAL-QOL questionnaire

#### Timepoint

In the beginning of the study, and after 3 weeks of intervention

#### Method of measurement

Persian version of SWAL-QOL questionnaire

## Intervention groups

### 1

#### Description

Intervention group: pyridostigmine tablet. The duration of intervention is 3 weeks. For the first 4 days of the study, this group will have half a 60 mg tablet of pyridostigmine, three times a day, 30 minutes before breakfast, lunch and dinner. During the following 3 days (until the end of first week), the dose before lunch is increased to a complete 60 mg tablet. In the next 3 days, the patient will have the dose before breakfast increased to a complete tablet, and then after that will continue on a 60 mg dose of pyridostigmine, PO, three times a day, until the end of third week.

#### Category

Treatment - Drugs

### 2

#### Description

Control group: placebo tablet. The duration of intervention is 3 weeks. For the first 4 days of the study, this group will have half a 60 mg tablet of placebo, three times a day, 30 minutes before breakfast, lunch and dinner. During the following 3 days (until the end of first week), the dose before lunch is increased to a complete 60 mg tablet. In the next 3 days, the patient will have the dose before breakfast increased to a complete tablet, and then after that will continue on a 60 mg dose of placebo, PO, three times a day, until the end of third week. The dosage of placebo group is completely similar to the one of the pyridostigmine group.

#### Category

Placebo

## Recruitment centers

### 1

#### Recruitment center

##### Name of recruitment center

MS research center, Sina hospital, Tehran University of Medical Sciences

##### Full name of responsible person

Dr. MohammadAli Sahraian

##### Street address

Sina Hospital, Hasan Abad Sq., Imam Khomeini Ave., 12th District

##### City

Tehran

##### Province

Tehran

##### Postal code

1136746911

##### Phone

+98 21 6634 8500

##### Email

sahraian1350@yahoo.com

## Sponsors / Funding sources

## 1

### Sponsor

**Name of organization / entity**

Tehran University of Medical Sciences

**Full name of responsible person**

Dr. MohammadAli Sahraian

**Street address**

Tehran University of Medical Sciences, Poursina St.,  
16 Azar St., Keshavarz Blvd.

**City**

Tehran

**Province**

Tehran

**Postal code**

1136749986

**Phone**

+98 21 6634 8571

**Email**

sahraian1350@yahoo.com

**Grant name****Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

**Title of funding source**

Tehran University of Medical Sciences

**Proportion provided by this source**

100

**Public or private sector**

Public

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding**

*empty*

**Country of origin****Type of organization providing the funding**

Academic

### Person responsible for general inquiries

**Contact****Name of organization / entity**

Tehran University of Medical Sciences

**Full name of responsible person**

Majid Hamidi

**Position**

Researcher

**Latest degree**

Medical doctor

**Other areas of specialty/work**

General Practitioner

**Street address**

MS Research Institute, Sina Hospital, Hasan Abad Sq.,  
Imam Khomeini Ave., 12th District

**City**

Tehran

**Province**

Tehran

**Postal code**

1136746911

**Phone**

+98 21 6634 8500

**Email**

hamidi.majid.96@gmail.com

### Person responsible for scientific inquiries

**Contact****Name of organization / entity**

Tehran University of Medical Sciences

**Full name of responsible person**

Dr. MohammadAli Sahraian

**Position**

Professor

**Latest degree**

Medical doctor

**Other areas of specialty/work**

Neurology

**Street address**

Sina Hospital, Hasan abad Sq., Imam Khomeini Ave.,  
12th District

**City**

Tehran

**Province**

Tehran

**Postal code**

1136746911

**Phone**

+9866348500

**Email**

sahraian1350@yahoo.com

### Person responsible for updating data

**Contact****Name of organization / entity**

Tehran University of Medical Sciences

**Full name of responsible person**

Dr. MohammadAli Sahraian

**Position**

Professor

**Latest degree**

Medical doctor

**Other areas of specialty/work**

Neurology

**Street address**

Sina Hospital, Hasan Abad Sq., Imam Khomeini Ave.,  
12th District

**City**

Tehran

**Province**

Tehran

**Postal code**

1136746911

**Phone**

+98 21 6634 8571

**Email**

sahraian1350@yahoo.com

### Sharing plan

**Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to

make this available

**Study Protocol**  
Undecided - It is not yet known if there will be a plan to make this available

**Statistical Analysis Plan**  
Undecided - It is not yet known if there will be a plan to make this available

**Informed Consent Form**  
Yes - There is a plan to make this available

**Clinical Study Report**  
Yes - There is a plan to make this available

**Analytic Code**  
Undecided - It is not yet known if there will be a plan to make this available

**Data Dictionary**  
Undecided - It is not yet known if there will be a plan to

make this available

**Title and more details about the data/document**  
No more information

**When the data will become available and for how long**  
6 months after publication of results.

**To whom data/document is available**  
No more information

**Under which criteria data/document could be used**  
No more information

**From where data/document is obtainable**  
Email address: sahraian1350@yahoo.com

**What processes are involved for a request to access data/document**  
Sending a request email

**Comments**