

Clinical Trial Protocol

Iranian Registry of Clinical Trials

25 Jun 2026

The effect of chamomile on the incidence and severity of nausea and vomiting on patients undergoing middle ear surgery

Protocol summary

Study aim

Determine the effect of Chamomile on the incidence and severity of nausea and vomiting after middle ear surgery

Design

A controlled, parallel-group, triple-blind, randomized clinical trial on 110 patients. A coin toss was used for randomization

Settings and conduct

This three-blind study will be conducted in the otolaryngology department of Hazrat Rasool Akram Hospital in Tehran. The person taking the sample, the patient, and the statistical analyst will not know about the random allocation of the samples. 110 patients who meet the conditions to enter the study will be selected as available after providing explanations and with informed consent and will be distributed into two control and intervention groups based on random allocation by tossing a coin. In the intervention group, 50 patients Chamomile capsule of 500 mg, and in the control group, 50 patients will receive the placebo capsule one hour before the operation. After surgery, immediately after recovery from anesthesia, one hour, two hours, four hours, and six hours after recovery, patients will complete Roder's questionnaire according to their symptoms.

Participants/Inclusion and exclusion criteria

Age 18 to 65 years; ASA I and ASA II; Not taking anti-emetic medication 24 hours before surgery; platelet count above 10,000; Weight less than 90 kg; Not suffering from any liver (hepatitis, coagulation disorders), kidney (kidney stones, kidney failure) and digestive (gastric ulcer and duodenal ulcer); no history of motion sickness; not having cancer; being an NPO; No history of hypertension; no history of epilepsy; lack of pregnancy; not smoking; Absence of allergy to chamomile

Intervention groups

Intervention group: patients who receive 500 mg chamomile capsules 1 hour before surgery Control group: patients who receive placebo capsules 1 hour

before surgery

Main outcome variables

Nausea and vomiting

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20210109049973N1**

Registration date: **2023-11-25, 1402/09/04**

Registration timing: **registered_while_recruiting**

Last update: **2023-11-25, 1402/09/04**

Update count: **0**

Registration date

2023-11-25, 1402/09/04

Registrant information

Name

parisa Moradimajd

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8670 4772

Email address

moradimajd.p@iums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-11-21, 1402/08/30

Expected recruitment end date

2024-01-20, 1402/10/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
The effect of chamomile on the incidence and severity of nausea and vomiting on patients undergoing middle ear surgery

Public title
The effect of chamomile on the incidence and severity of nausea and vomiting after middle ear surgery

Purpose
Prevention

Inclusion/Exclusion criteria
Inclusion criteria:
Age 18_65 years old ASA I and ASA II Not taking antiemetic drugs 24 hours before surgery Platlate count above 100000 Weight less than 90 kg No liver disease (hepatitis, coagulation disorder), renal disease (kidney stone, renal failure), and gastrointestinal (stomach ulcer, duodenal ulcer) No history of motion sickness No cancer Being NPo No history of hypertension No history of epilepsy No pregnancy No smoking No allergies to chamomile
Exclusion criteria:

Age
From **18 years** old to **65 years** old

Gender
Both

Phase
N/A

Groups that have been masked

- Participant
- Investigator
- Data analyser

Sample size
Target sample size: **110**

Randomization (investigator's opinion)
Randomized

Randomization description
The samples are selected as available and will be distributed in two intervention and control groups based on random allocation by tossing a coin (on the back and on the coin). In this way, the face of the coin will be related to the intervention group and the back of the coin will be related to the control group. After entering the patients and checking the entry criteria, a coin will be tossed by an unknown person to assign the groups. If the coin comes up, the patient will enter the intervention group, and if the coin comes up, the patient will be in the control group.

Blinding (investigator's opinion)
Triple blinded

Blinding description
For blindness, according to the triple-blind approach, the capsules made with the same shape by the pharmacist are placed in two envelopes. the person doing sampling, the patient receiving medication, and finally the statistical consultant analyzing data do not know about the allocation of samples in control and intervention

groups. the intervention group will be identified by the letter A and the control group by the letter B to prevent bias in collecting and recording the results of the study and to generalize the results.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics committee of Iran University of Medical Sciences

Street address

Iran University of Medical Sciences (IUMS), Shahid Hemmat Highway

City

Tehran

Province

Tehran

Postal code

1449614535

Approval date

2021-07-18, 1400/04/27

Ethics committee reference number

IR.IUMS.REC.1400.378

Health conditions studied

1

Description of health condition studied

Post anesthesia nausea and vomiting

ICD-10 code

ICD-10 code description

Primary outcomes

1

Description

Rate of nausea and vomiting after middle ear surgery

Timepoint

Immediately after recovery from anesthesia, 1, 2, 4 and 6 hours after recovery from anesthesia

Method of measurement

Rhodes index

2

Description

Vital sign

Timepoint

Immediately, 1,2,4,6 hours after recovery from anesthesia

Method of measurement

Observation, thermometer and blood pressure monitoring

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: patients who receive 500 mg chamomile capsules 1 hour before surgery

Category

Prevention

2

Description

Control group: patients who receive placebo (corn starch) 1 hour before surgery

Category

N/A

Recruitment centers

1

Recruitment center

Name of recruitment center

Hazrate rasool akram hospital

Full name of responsible person

Parisa moradi majd

Street address

Hazrate rasool akram hospital_next to Mansoori street_Niyayesh street_Saatarkhan

City

Tehran

Province

Tehran

Postal code

۱۳۴۵۶۱۳۱۳۱

Phone

+98 21 6435 1000

Email

moradimajd.p@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Reza Falak

Street address

Iran university of medical sciences,next to milad tower, hemmat highway, tehran

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 8670 4772

Email

moradimajd.p@gmail.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Iran University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Parisa Moradi Majd

Position

Assistant professor

Latest degree

Ph.D.

Other areas of specialty/work

Health in Emergency and Disaster

Street address

Iran university of medical sciences,next to milad tower, hemmat highway, tehran

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 8670 4772

Email

moradimajd.p@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Parisa moradi majd

Position

Assistant Professor

Latest degree

Ph.D.

Other areas of specialty/work

Health in Emergency and Disaster

Street address

Iran university of medical sciences,next to milad tower, hemmat highway, tehran

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 8670 4772

Email

moradimajd.p@gmail.com

Person responsible for updating data**Contact****Name of organization / entity**

Iran University of Medical Sciences

Full name of responsible person

Parisa Moradi Mjad

Position

Assistant professor

Latest degree

Ph.D.

Other areas of specialty/work

Health in Emergency and Disaster

Street address

Iran university of medical sciences, next to milad tower, hemmat high way, tehran

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 8670 4772

Email

moradimajd.p@gmail.com

Sharing plan**Deidentified Individual Participant Data Set (IPD)**

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to make this available

Title and more details about the data/document

All data cannot be shared

When the data will become available and for how long

None

To whom data/document is available

None

Under which criteria data/document could be used

Only in situations where a meta-analysis is to be performed

From where data/document is obtainable

Parisa Moradi Majd moradimajd.p@gmail.com

What processes are involved for a request to access data/document

From Email

Comments