

Clinical Trial Protocol

Iranian Registry of Clinical Trials

11 Jun 2026

A single-arm, before- after clinical study to evaluate the safety and efficacy of Inshape X® intradermal filler containing 150mg poly-L-lactic acid (NanoDaru Pajuhan Pardis) for correction of moderate to severe nasolabial folds

Protocol summary

Study aim

Evaluate the safety and efficacy of Inshape X® intradermal filler containing 150mg poly-L-lactic acid (NanoDaru Pajuhan Pardis) for correction of moderate to severe nasolabial folds.

Design

Single group, phase 2, before -after clinical study. sample size is 30. The study is not randomized.

Settings and conduct

The study will be conducted in Center for research and training in skin diseases and leprosy. Before intervention face photography will be taken from participants using digital camera and Visioface camera for determination the severity of nasolabial folds, according to Allergan scale. Skin ultrasound also will perform on nasolabial folds. One intradermal injection with Inshape X® intradermal filler made by NanoDaru Pajuhan Pardis Company will be performed on each nasolabial fold. The assessment will be repeated one, 3, 6 and 12 months after intervention. Subjects' satisfaction and adverse effect will be recorded in each follow up visit.

Participants/Inclusion and exclusion criteria

Inclusion criteria: 18-65-year-old men and women, Moderate to severe nasolabial folds based on Allergan criteria. The opportunity to accompany the visit programs and study process. Signing the informed consent form and agree to a 6-month follow-up. Exclusion criteria: History of type 1 allergic reactions or anaphylaxis reactions, Previous allergy to filler and lidocaine ingredients, History of hypertrophic and colloid scars or bleeding disorders in the nasolabial region

Intervention groups

receiving a subcutaneous dose of Inshape-x-scalp suspension (poly-L-lactic acid of Pardis Nano Darou Pazhouhan Pharmaceutical Company) containing 150 mg, using one of the linear threading, Fanning, Serial

puncture, and Cross hatch techniques, according to the researcher's opinion.

Main outcome variables

Severity of nasolabial folds according to Allergan grading

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20150101020514N26**

Registration date: **2023-11-12, 1402/08/21**

Registration timing: **prospective**

Last update: **2023-11-12, 1402/08/21**

Update count: **0**

Registration date

2023-11-12, 1402/08/21

Registrant information

Name

Alireza Firooz

Name of organization / entity

Tehran University of Medical Science

Country

Iran (Islamic Republic of)

Phone

+98 21 8897 8190

Email address

firozali@tums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2023-11-22, 1402/09/01

Expected recruitment end date

2024-02-20, 1402/12/01

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

A single-arm, before- after clinical study to evaluate the safety and efficacy of Inshape X® intradermal filler containing 150mg poly-L-lactic acid (NanoDaru Pajuhan Pardis) for correction of moderate to severe nasolabial folds

Public title

evaluate the safety and efficacy of Inshape X® intradermal filler

Purpose

Treatment

Inclusion/Exclusion criteria**Inclusion criteria:**

18-65-year-old men and women Moderate to severe nasolabial folds based on Allergan criteria. The opportunity to accompany the visit programs and study process. Signing the informed consent form and agree to a 6-month follow-up.

Exclusion criteria:

History of type 1 allergic reactions or anaphylaxis reactions Previous allergy to filler and lidocaine ingredients History of hypertrophic and colloid scars or bleeding disorders in the nasolabial region Active inflammatory processes, infection, lesion (cancerous/noncancerous) in the nasolabial region Pregnancy and lactation

AgeFrom **18 years** old to **65 years** old**Gender**

Both

Phase

2

Groups that have been masked*No information***Sample size**Target sample size: **30****Randomization (investigator's opinion)**

N/A

Randomization description**Blinding (investigator's opinion)**

Not blinded

Blinding description**Placebo**

Not used

Assignment

Single

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics committee of The Institute of Pharmaceutical Sciences of Tehran University of Medical Science

Street address

Unit 1-219, 2nd floor, The Institute of Pharmaceutical Sciences, Faculty of Pharmacy, 16 Azar Avenue

City

Tehran

Province

Tehran

Postal code

1417613151

Approval date

2023-11-10, 1402/08/19

Ethics committee reference number

IR.TUMS.TIPS.REC.1402.097

Health conditions studied**1****Description of health condition studied**

Skin aging

ICD-10 code**ICD-10 code description****Primary outcomes****1****Description**

Severity of nasolabial folds

Timepoint

Before intervention and 4 weeks later

Method of measurement

5 scale Allergan photo numeric grading

Secondary outcomes**1****Description**

Severity of nasolabial folds

Timepoint

Before intervention, 3, 6 and 12 months later

Method of measurement

5 scale Allergan photo numeric grading

2**Description**

Severity of nasolabial folds

Timepoint

Before intervention, 1, 3, 6 and 12 months later

Method of measurement

Based on GAIS scale compared to base mode

3

Description

Depth, area and volume of nasolabial fold

Timepoint

Before intervention, 1, 6 and 12 months later

Method of measurement

Visioface camera

Intervention groups

1

Description

Intervention group: receiving a subcutaneous dose of inshape-x-scalp suspension (poly-L-lactic acid of Pardis Nano Darou Pajouhan Pharmaceutical Company) containing 150 mg, using one of the linear threading, Fanning, Serial puncture, and Cross hatch techniques, according to the researcher's opinion. Preparation of each vial is done using 8ml sterile water. In order to pain reduction, 1 ml of lidocaine 2% will be added to the prepared suspension before injection and the final suspension volume will be 9 ml.

Category

Treatment - Drugs

Recruitment centers

1

Recruitment center

Name of recruitment center

Center for Research and Training in Skin Diseases and Leprosy

Full name of responsible person

Aniseh Samadi

Street address

No. 415, Shahid Naderi (Soheil) Street, Taleqani Avenue

City

Tehran

Province

Tehran

Postal code

1416613675

Phone

+98 21 8897 0658

Email

dermalab@tums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Nano Darou Pajouhan Pardis Company

Full name of responsible person

Navid Goodarzi

Street address

No. 18, Between Motahari Street and South Etaati St.,

Marzdaran Blvd.

City

Tehran

Province

Tehran

Postal code

1464736143

Phone

+98 912 635 4536

Email

info@nanodaru.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Nano Darou Pajouhan Pardis Company

Proportion provided by this source

100

Public or private sector

Private

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Persons

Person responsible for general inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Aniseh Samadi

Position

Manger of clinical study unit

Latest degree

Ph.D.

Other areas of specialty/work

Dermatology

Street address

No. 415, Shahid Naderi (Soheil) Street, Taleqani Avenue

City

Tehran

Province

Tehran

Postal code

1416613675

Phone

+98 21 8896 0880

Email

aniseh_samadi@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Alireza Firooz

Position

Dermatologist and professor of Tehran University of Medical Sciences.

Latest degree

Specialist

Other areas of specialty/work

Dermatology

Street address

No. 415, Shahid Naderi (Soheil) Street, Taleqani Avenue

City

Tehran

Province

Tehran

Postal code

1416613675

Phone

+98 21 8897 2220

Email

firozali@tums.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Tehran University of Medical Sciences

Full name of responsible person

Maryam Ahmadi

Position

Research Expert

Latest degree

Master

Other areas of specialty/work

Dermatology

Street address

No. 415, Shahid Naderi (Soheil) Street, Taleqani Avenue

City

Tehran

Province

Tehran

Postal code

1416613675

Phone

+98 21 8897 0658

Email

ahmadi.maryam648@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Undecided - It is not yet known if there will be a plan to make this available

Study Protocol

Undecided - It is not yet known if there will be a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Undecided - It is not yet known if there will be a plan to make this available

Analytic Code

Not applicable

Data Dictionary

Not applicable