

Clinical Trial Protocol

Iranian Registry of Clinical Trials

30 Jul 2026

Evaluation of the Efficacy of Dalfampridine on Walking Impairments in Acute Traumatic Thoracic Spinal Cord Injury

Protocol summary

Study aim

Evaluation of the Effect of Dalfampridine on Walking Impairment of Patients with Acute Thoracic Spinal Cord Injury

Design

Phase III Randomised, superiority, parallel group, triple blind trial on 52 patients. Randomisation was centralised and computerised with concealed randomisation sequence carried out at an external site.

<https://www.sealedenvelope.com/simple-randomiser/v1/lists>

Settings and conduct

In Shahid Kamyab Hospital of Mashhad, eligible patients will randomly enter into treatment and control groups. All patients receive high-dose methylprednisolone as standard treatment in the first 24 to 48 hours of trauma. The treatment group will take Dalfampridine 10 mg pill twice daily for two months. The control group will take placebo pill in parallel. The primary outcome variables will be measured in 3 times before, one and two months after treatment initiation. Patients will receive the drug packages randomly, thus none of the participants, researchers, and Data and Safety Monitoring Committee will be aware of the process.

Participants/Inclusion and exclusion criteria

Inclusion criteria: 1. Patients with traumatic thoracic spinal cord injury 2. Age between 18 and 70 years 3. ASIA scale of C or D 4. Glasgow Coma Scale of 15
Exclusion criteria: 1. Any History of Seizures in the Patient 2. Any Contraindications for Dalfampridine Administration 3. Pregnancy 4. Glomerular Filtration Rate below 50

Intervention groups

In the treatment group, patients will take Dalfampridine 10 mg pills twice daily in the morning and evening for two months. The control group will also receive placebo pills for two months.

Main outcome variables

Disability Index; Dynamic Balance Test; 25 Foot Walk

Test; American Spinal Injury Association scale; Lower Extremity and Back Visual Analogue Scale; Oswestry Disability Index

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20231019059767N1**

Registration date: **2024-01-17, 1402/10/27**

Registration timing: **prospective**

Last update: **2025-06-08, 1404/03/18**

Update count: **1**

Registration date

2024-01-17, 1402/10/27

Registrant information

Name

Reza Bayat

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 51 3606 7325

Email address

bayatr971@mums.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2024-01-20, 1402/10/30

Expected recruitment end date

2025-01-19, 1403/10/30

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date
empty

Scientific title
Evaluation of the Efficacy of Dalfampridine on Walking Impairments in Acute Traumatic Thoracic Spinal Cord Injury

Public title
Effect of Dalfampridine in Treatment of Spinal Cord Injury

Purpose
Treatment

Inclusion/Exclusion criteria
Inclusion criteria:
All Patients with Traumatic Thoracic Spinal Cord Injury
Patients with ASIA Scale C or D Patients without any Contraindications for Dalfampridine Prescription Patients having 18 to 70 Years of Age Patients who have GCS 15
Exclusion criteria:
Any History of Seizure in Patient Pregnancy GFR Lower than 50 ml/min

Age
From **18 years** old to **70 years** old

Gender
Both

Phase
3

Groups that have been masked

- Participant
- Care provider
- Investigator
- Outcome assessor
- Data analyser
- Data and Safety Monitoring Board

Sample size
Target sample size: **52**

Randomization (investigator's opinion)
Randomized

Randomization description
In this study, blocking will be used as a reliable randomization method that leads to the balanced allocation of people in treatment groups at the end of each block. The website - <https://www.sealedenvelope.com/simple-randomiser/v1/lists> is used to prepare random blocks with variable sizes. The output of the site is such that, depending on the number of samples and the proposed sizes of the blocks, a specific number of blocks with different sizes (4 and 6) and with different sequences of block content is provided, which is followed by the content of each block in a sealed envelope. And when patients visit, one of the blocks is randomly selected and depending on the sequence of its content, the person in question is placed in one of the arms of the study. In the same way, after the completion of the first block, the second block is randomly selected and this continues until the last block and assigning the last person to the study arms. As a rule, by assigning the last sheet of the last block, the patients are grouped equally in the two arms of the study and the balance between the groups is

established.

Blinding (investigator's opinion)
Triple blinded

Blinding description
In this thriple-blind study, patients will be divided into A and B groups through block randomization method. The drug and placebo are divided into two separate groups A and B by a person who is not involved in the study process. The contents of these two groups will remain in the sealed envelope until the end of the study. Within the first visit of the patient, a block will be randomly choosen. Based on the revealed content, patient will be included in group A or B and then will recieve his/her own corresponding drug. Dalfampridine and placebo tablets are both produced and packaged by the same company and completely similar in shape, color, smell and other characteristics. Also, the time and route of administration is similar. In this way, the participants, researcher, health personnel, data collectors, data evaluators, and the Safety and Data Monitoring Committee will not be aware of the allocation of patients to the study groups until end of the study.

Placebo
Used

Assignment
Parallel

Other design features

Secondary Ids
empty

Ethics committees

1

Ethics committee
Name of ethics committee
Research Ethics Committees of School of Medicine- Mashhad University of Medical Sciences
Street address
Qoreishi building., Daneshghah Ave., Mashhad., Khorasan Razavi
City
Mashhad
Province
Razavi Khorasan
Postal code
9138813944
Approval date
2023-07-18, 1402/04/27
Ethics committee reference number
IR.MUMS.MEDICAL.REC.1402.266

Health conditions studied

1

Description of health condition studied
Thoracic Spinal Cord Injury
ICD-10 code
T09.3

ICD-10 code description

Injury of spinal cord, level unspecified

Primary outcomes**1****Description**

25-Foot Walk Test

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

Chronometer watch

Secondary outcomes**1****Description**

Dynamic Balance Test

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

Chronometer watch

2**Description**

Disability Index

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

Disability Index Questionnaire

3**Description**

American Spinal Injury Association Impairment Scale

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

American Spinal Injury Association Impairment Scale chart

4**Description**

Oswestry Disability Index

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

Oswestry Disability Questionnaire

5**Description**

Lower Extremity Pain Visual Analogue Scale

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

Visual Analogue Scale Diagram

6**Description**

Back Pain Visual Analogue Scale

Timepoint

At the beginning of study (Before Treatment), 30, and 60 days after initiation of treatment

Method of measurement

Visual Analogue Scale Diagram

Intervention groups**1****Description**

Intervention group: In the intervention group, patients after spinal cord injury receive routine high-dose Prednisolone treatment for 24 to 48 hours. Thereafter patients take Dalfampridine 10 mg tablets of Zist Orchid Pharmed company daily in the morning and evening for 2 months. In this way, the first dose is taken before breakfast and the second dose is taken 12 hours after that. The primary and secondary outcome variables are examined on 3 occasions before the intervention and one month and two months after the intervention. The content of Dalfampridine tablets includes 10 miligram of the main active ingredient Dalfampridine and other ingredients such as Hydroxypropyl methyl cellulose, Microcrystalline cellulose, Colloidal silicon dioxide, Magnesium stearate, Talc powder, and Sodium lauryl sulfate.

Category

Treatment - Drugs

2**Description**

Control group: In the control group, patients after spinal cord injury receive routine high-dose Prednisolone treatment for 24 to 48 hours. After that, the patients take the placebo tablets prepared by Zist Orchid Pharmed company daily in the morning and evening for 2 months. In this way, the first dose is taken before breakfast and the second dose is taken 12 hours after that. The primary and secondary outcome variables are examined on 3 occasions before the intervention and one month and two months after the intervention. The content of the placebo tablets includes all the items of the main drug except the active ingredient Dalfampridine, which includes Hydroxypropyl methyl cellulose, Microcrystalline cellulose, Colloidal silicon dioxide, Magnesium stearate, Talc powder, and Sodium lauryl sulfate.

Category

Placebo

Recruitment centers

1

Recruitment center

Name of recruitment center

Shahid Kamyab Hospital

Full name of responsible person

Ali Moghaddasi

Street address

Shahid Kamyab Hospital, Nakhresi crossroad,
Fadaeyan e Islam St, Mashhad, Khorasan razavi, Iran

City

Mashhad

Province

Razavi Khorasan

Postal code

9166637474

Phone

+98 51 3859 2121

Fax**Email**

skh.pr@mums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Mashhad University of Medical Sciences

Full name of responsible person

Mohsen Tafaghodi

Street address

Qoreshi building, Daneshgah Ave, Mashhad

City

مشهد مقدس

Province

Razavi Khorasan

Postal code

9138813944

Phone

+98 51 3841 1538

Email

rezabayat9233@gmail.com

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

No

Title of funding source

Zist Orchid Pharmed

Proportion provided by this source

5

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

2

Sponsor

Name of organization / entity

Zist Orchid Pharmed

Full name of responsible person

نسیم انجیدنی

Street address

Tehran, District 3, Attar St, No. 42

City

Tehran

Province

Tehran

Postal code

1994766411

Phone

+98 21 4347 3000

Email

Ask@orchidpharmed.com

Web page address

https://orchidpharmed.com/

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Zist Orchid Pharmed

Proportion provided by this source

95

Public or private sector

Private

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Industry

Person responsible for general inquiries

Contact

Name of organization / entity

Mashhad University of Medical Sciences

Full name of responsible person

Babak Ganjeifar

Position

Associate professor

Latest degree

Specialist

Other areas of specialty/work

Neurosurgery

Street address

Department of neurosurgery, Ghaem hospital,
Ahmadabad Blvd, Mashhad

City

Mashhad

Province

Razavi Khorasan

Postal code
9176699199
Phone
+98 51 3841 3493
Email
b.ganjeifar@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Mashhad University of Medical Sciences
Full name of responsible person
Mohammadali Nahayati
Position
Assistant professor
Latest degree
Specialist
Other areas of specialty/work
Neurology
Street address
Department of neurology, Ghaem hospital,
Ahmadabad Blvd, Mashhad
City
Mashhad
Province
Razavi Khorasan
Postal code
9176699199
Phone
+98 51 3841 3493
Email
Nahayatia@mums.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Mashhad University of Medical Sciences
Full name of responsible person
Babak Ganjeifar
Position
Associate professor
Latest degree
Specialist
Other areas of specialty/work
Neurosurgery
Street address
Department of neurosurgery, Ghaem hospital,
Ahmadabad Blvd, Mashhad
City
Mashhad
Province
Razavi Khorasan
Postal code
9176699199
Phone
+98 51 3841 3493
Email
b.ganjeifar@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

There is no further information

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

No - There is not a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available