

Clinical Trial Protocol

Iranian Registry of Clinical Trials

18 Sep 2026

Comparison of the effect of surgical site skin preparation with povidone-iodine antiseptic at two different temperatures on the microbial load and surgical site infection in laparotomy patients

Protocol summary

Study aim

Comparison of the effect of surgical site skin preparation with povidone iodine at two different temperatures

Design

clinical trial with control and intervention groups, with parallel groups, single-blinded, randomized and phase 3 on 126 patients. the table of random numbers made by the computer will be used for study randomization.

Settings and conduct

This study will be conducted in the operating room by taking microbial cultures from the surgical site skin in three stages; before surgical site skin preparation, after the primary stage and after the secondary stage of surgical site skin preparation. the incidence of surgical site infection in 24 hours and 30 days after the operation will be checked. In this study, the participants will not be informed about the temperature of the antiseptic solution used.

Participants/Inclusion and exclusion criteria

Absence of immune system deficiency and malignancy
Not being allergic to povidone-iodine antiseptic
Age 18 to 55 years
Elective surgery
No contamination of instruments or surgical field

Intervention groups

In the intervention group, the secondary stage of surgical site skin preparation will be performed with 10% povidone-iodine at a temperature of 35°C and in the control group at a temperature of 22°C .

Main outcome variables

povidone-iodine antiseptic at two different temperatures;
microbial load; surgical site infection

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20240212060966N1**

Registration date: **2024-02-21, 1402/12/02**

Registration timing: **prospective**

Last update: **2024-02-21, 1402/12/02**

Update count: **0**

Registration date

2024-02-21, 1402/12/02

Registrant information

Name

Diba Nikkhah dashtizadeh

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 21 8670 4600

Email address

nikkhahdiba@gmail.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2024-04-13, 1403/01/25

Expected recruitment end date

2024-09-15, 1403/06/25

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparison of the effect of surgical site skin preparation with povidone-iodine antiseptic at two different temperatures on the microbial load and surgical site

infection in laparotomy patients		Placebo	Not used
Public title	Comparison of the effect of surgical site skin preparation with povidone-iodine solution at two different temperatures on the antimicrobial effect and surgical wound infection	Assignment	Parallel
Purpose	Prevention	Other design features	
Inclusion/Exclusion criteria	Inclusion criteria: Age 18 to 55 years Having at least a diploma degree No diabetes No history of laparotomy surgery Body mass index less than 35 Absence of immune system deficiency and no use of immunosuppressive drugs Absence of local infection near the surgical site or systemic infection Not being allergic to povidone-iodine antiseptic No history of malignancy and radiation therapy Absence of severe skin rash at the surgical site Not using broad-spectrum antibiotics within a month before going to the hospital having Elective surgery Exclusion criteria: Emergency laparotomy surgery Disruption in the surgical process that leads to the contamination of the instruments or the surgical field immune system deficiency and using immunosuppressive drugs having diabetes allergic to povidone-iodine antiseptic The presence of rashes and severe skin diseases at the surgical site using broad-spectrum antibiotics within a month before going to the hospital morbid obesity	Secondary Ids	empty
Age	From 18 years old to 55 years old	Ethics committees	
Gender	Both	1	
Phase	3	Ethics committee	
Groups that have been masked	Participant	Name of ethics committee	Ethics committee of iran University of Medical Sciences
Sample size	Target sample size: 126 More than 1 sample in each individual Number of samples in each individual: 3 Microbial cultures will be taken from the skin of the abdomen at the surgical site in three stages before surgical skin preparation, after primary surgical skin preparation and after secondary surgical skin preparation.	Street address	Faculty of allied medicine, Iran university of medical sciences ,Hemmat highway, next to the milad tower, tehran, iran
Randomization (investigator's opinion)	Randomized	City	Tehran
Randomization description	Randomization method: simple randomization Randomization tool: using a table of random numbers made by the computer	Province	Tehran
Blinding (investigator's opinion)	Single blinded	Postal code	1449614535
Blinding description	In this research, single blinding will be used; So that the samples will not be informed about the antiseptic temperature used for them. But the researcher and the surgical team will know the antiseptic temperature used for each sample.	Approval date	2024-02-05, 1402/11/16
		Ethics committee reference number	IR.IUMS.REC.1402.1008
		Health conditions studied	
		1	
		Description of health condition studied	Surgical site infection
		ICD-10 code	
		ICD-10 code description	
		Primary outcomes	
		1	
		Description	Microbial load
		Timepoint	microbial cultures will be taken in three stages before the surgical site skin preparation, after the initial stage of disinfection of the surgical site and after the secondary stage of disinfection of the surgical site with povidone-iodine 10%.
		Method of measurement	taking microbial culture and counting microbial colonies 24 hours after incubation
		2	
		Description	Surgical site infection

Timepoint

Observation and examination of the surgical wound after 24 hours and 30 days after surgery

Method of measurement

Observing and examining the surgical wound and entering the symptoms in the surgical site infection checklist

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: surgical site Skin preparation will be done in two stages. At first, before starting the skin preparation process, a culture will be taken from the skin of the surgical site with a sterile swab. In this way, an initial culture sample will be taken using a wet swab soaked in physiological serum and the swab will be rubbed on the blood agar culture medium. Then, in the initial stage of skin preparation, povidone-iodine 7.5% will be used at a temperature of 22 degrees Celsius. The skin preparation will be done in a circular manner from the center of the surgical incision to the periphery and this will be done with 3 separate sterile gauzes. After performing the initial stage of skin preparation, we will wait for 5 minutes and then the antiseptic residue will be dried by a sterile cloth. Before starting the secondary stage, a skin culture will be taken from the surgical site. The second culture sample will be taken using a sterile swab dipped in physiological serum. In this way, the swab will be rubbed on the blood agar medium. Then, in the secondary stage, povidone-iodine 10% will be used at a temperature of 35 degrees Celsius. Skin preparation will be done in a circular manner from the center of the surgical incision to the periphery by 3 separate gas sterilizers. After performing the secondary stage of skin preparation, we will wait for 5 minutes and then the antiseptic residue will be dried by a sterile cloth. Again, a culture will be taken from the skin of the surgical site with a sterile swab dipped in physiological serum. In this way, the swab will be rubbed on the blood agar culture medium. Then, the surgical site will be covered with sterile cloths and sterile plastic covers, and the surgical process will continue. The culture samples will be sent to the laboratory to determine the microbial load. 24 hours after the surgery, the dressing of the surgical site will be changed for the first time by the researcher and the relevant doctor. The surgical site will be observed and examined for signs of surgical site infection. The symptoms will be recorded in the researcher's form for recording surgical site infection symptoms. The patient will be trained. The form for recording the symptoms of surgical site infection will be provided to the patient so that he or she can check the surgical site within one month after the surgery and record the symptoms in the said form. Then at the end of 30 days of the said form will be collected by the researcher. Finally, two groups

will be compared.

Category

Prevention

2

Description

Control group: Surgical site skin preparation will be done in two stages. First, before starting the skin preparation process, a sterile swab will be taken from the skin of the surgical site. In this way, a primary culture sample will be taken using a wet swab dipped in physiological serum and rubbed on the blood agar culture medium. Then, in the initial stage of skin preparation, povidone iodine 7.5% will be used at a temperature of 22 degrees Celsius. Skin preparation will be done in a circular manner from the center of the surgical incision to the periphery, and this will be done with 3 separate sterile gauzes. After performing the initial stage of skin preparation, we will wait for 5 minutes and then the antiseptic residue will be dried by a sterile cloth. Before starting the secondary stage, the second culture will be taken from the skin of the surgical site. Then, in the secondary stage, povidone-iodine 10% at 22°C will be used. The preparation of the skin will be done in a circular manner from the center of the surgical incision to the periphery by 3 separate gas sterilizers. After performing the secondary stage of skin preparation, we will wait for 5 minutes and then the antiseptic residue will be dried by a sterile cloth. Again, a culture will be taken from the skin of the surgical site with a sterile swab dipped in physiological serum. Then, the surgical site will be covered with sterile cloths and sterile plastic covers, and the surgical process will continue. Culture samples will be sent to the laboratory to determine the microbial load. 24 hours after the surgery, the dressing of the surgical site will be changed for the first time by the researcher and the relevant doctor. The surgical site will be observed and examined for signs of surgical site infection. The symptoms will be recorded in the researcher's form for recording surgical site infection symptoms. The patient will be trained. The form for recording the symptoms of surgical site infection will be provided to the patient so that he or she can check the surgical site within one month after the surgery and record the symptoms in the said form. Then at the end of 30 days of the said form will be collected by the researcher. Finally, two groups will be compared.

Category

Prevention

Recruitment centers

1

Recruitment center

Name of recruitment center

Firouzgar Medical Education Center

Full name of responsible person

Fardin amiri

Street address

Firouzgar Hospital, Beh Afrin St., Waliar Square,

Tehran, Iran
City
Tehran
Province
Tehran
Postal code
1593748711
Phone
+98 21 8214 1000
Email
firoozgarhospital1@gmail.com
Web page address

2

Recruitment center

Name of recruitment center
Rasul Akram Medical Research Teaching Center
Full name of responsible person
Fradin Amiri
Street address
Hazrat Rasool Akram Hospital, Niayesh St., Sattar
Khan St., Tehran, Iran
City
Tehran
Province
Tehran
Postal code
1445613131
Phone
+98 21 6435 1000
Email
Rasoolhospital@iums.ac.ir

Sponsors / Funding sources

1

Sponsor

Name of organization / entity
Iran University of Medical Sciences
Full name of responsible person
Dr. Reza Falak
Street address
5th floor of the central headquarters, Iran University
of Medical Sciences, Hemat Highway, next to Milad
Tower, Tehran, Iran
City
Tehran
Province
Tehran
Postal code
۱۴۴۹۶۱۴۵۳۵
Phone
+98 21 8670 2504
Email
Falak.r@iums.ac.ir

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source
Iran University of Medical Sciences
Proportion provided by this source
100
Public or private sector
Public
Domestic or foreign origin
Domestic
Category of foreign source of funding
empty
Country of origin
Type of organization providing the funding
Academic

Person responsible for general inquiries

Contact

Name of organization / entity
Iran University of Medical Sciences
Full name of responsible person
Fardin Amiri
Position
Assistant Professor, Faculty member of the operating
room group
Latest degree
Ph.D.
Other areas of specialty/work
Medical Education
Street address
Faculty of Paramedicine, Iran University of Medical
Sciences, between the intersection of Sheikh Fazlullah
Nouri and Shahid Chamran, Shahid Hammat highway,
next to milad tower, Tehran, Iran
City
Tehran
Province
Tehran
Postal code
1449614535
Phone
+98 21 8670 4600
Email
amiri.fa@iums.ac.ir

Person responsible for scientific inquiries

Contact

Name of organization / entity
Iran University of Medical Sciences
Full name of responsible person
Fardin Amiri
Position
Assistant professor, faculty member of operating
room group
Latest degree
Ph.D.
Other areas of specialty/work
Medical Education
Street address
Faculty of Paramedicine, Iran University of Medical
Sciences, between the intersection of Sheikh Fazlullah

Nouri and Shahid Chamran, Shahid Hammat highway,
Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 8670 4600

Email

amiri.fa@iums.ac.ir

Person responsible for updating data

Contact

Name of organization / entity

Iran University of Medical Sciences

Full name of responsible person

Diba nikkhah dashtizadeh

Position

دانشجوی کارشناسی ارشد

Latest degree

Bachelor

Other areas of specialty/work

surgical technology

Street address

Faculty of Paramedicine, Iran University of Medical
Sciences ,between the intersection of Sheikh Fazlullah
Nouri and Shahid Chamran, Shahid Hammat highway,
Tehran, Iran

City

Tehran

Province

Tehran

Postal code

1449614535

Phone

+98 21 8670 4600

Email

nikkhahdiba@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

There is no further information

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Undecided - It is not yet known if there will be a plan to
make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to
make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Undecided - It is not yet known if there will be a plan to
make this available

Data Dictionary

Undecided - It is not yet known if there will be a plan to
make this available

Title and more details about the data/document

Only part of the data will be shared, such as information
on the main outcomes.

When the data will become available and for how long

The access period starts after the results are printed

To whom data/document is available

Students, employees and researchers working in
academic and clinical institutions and medical sciences

Under which criteria data/document could be used

Researchers working in academic institutions of medical
sciences

From where data/document is obtainable

To access the data, refer to the person in charge of
updating the project information. Name and surname:
Diba Nikkhah Dashtizadeh Email address:
nikkhahdiba@gmail.com Contact number: 09163531396

What processes are involved for a request to access data/document

In order to access the data, correspond with the person
in charge of updating the information of the project via e-
mail, and if the thesis project supervisor approves, the
project data will be available to the applicants.

Comments