

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

The Enhanced View-Totally Extra-peritoneal (eTEP) Technique for Repair of Inguinal Hernia after Radical Prostatectomy: A Clinical Trial

Protocol summary

Study aim

Evaluation of the outcomes of the Enhanced View-Totally Extra-peritoneal (eTEP) technique for repair of inguinal hernia after radical prostatectomy

Design

A controlled clinical trial with paralleled groups of intervention (eTEP) and control (TAPP), without blinding, non-randomized, phase 3, with a sample size of 15 in each group.

Settings and conduct

This Phase 3 clinical trial evaluates patients by a general surgeon (laparoscopic fellowship) who reviews their history and examines them. If an inguinal hernia is diagnosed after radical prostatectomy, its type and suitability for extended total extraperitoneal surgery are assessed. Eligible patients are enrolled. An equal number in the other group undergo transabdominal preperitoneal surgery. Patients are selected and categorized through census sampling, not randomly. The sample size is 15 per group.

Participants/Inclusion and exclusion criteria

Inclusion criteria: Inguinal hernia diagnosis, Informed written consent, eligibility for laparoscopic surgery, absence of contra-indication for laparoscopic surgery, Exclusion criteria: hematologic and severe comorbidities, psychological and cognitive disorders, and generalized infectious disease

Intervention groups

The intervention groups will be operated with the eTEP technique, and the control group will be operated with the Transabdominal Preperitoneal (TAPP) technique.

Main outcome variables

Patients will undergo an ultrasound examination the day after surgery to identify any hematomas, seromas, or potential mesh displacements. Pain levels will be assessed using the Visual Analog Scale (VAS). Follow-up will be conducted via a questionnaire, either in-person if necessary or otherwise by phone. The following outcomes will be evaluated: Pain severity, surgery

complications, vascular injury, bladder injury, intestine injury, and duration to regain pre-surgical daily abilities.

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20231029059895N1**

Registration date: **2025-03-14, 1403/12/24**

Registration timing: **registered_while_recruiting**

Last update: **2025-03-14, 1403/12/24**

Update count: **0**

Registration date

2025-03-14, 1403/12/24

Registrant information

Name

Masoud Sayadishahraki

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 913 184 8098

Email address

drsayadi@yahoo.com

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2025-01-04, 1403/10/15

Expected recruitment end date

2025-04-04, 1404/01/15

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

The Enhanced View-Totally Extra-peritoneal (eTEP) Technique for Repair of Inguinal Hernia after Radical Prostatectomy: A Clinical Trial

Public title

The Enhanced View-Totally Extra-peritoneal (eTEP) Technique for Repair of Inguinal Hernia after Radical Prostatectomy

Purpose

Treatment

Inclusion/Exclusion criteria

Inclusion criteria:

Inguinal Hernia diagnosis with a history of radical prostatectomy

Exclusion criteria:

Patients eligibility to be laparoscopic inguinal hernia repair surgery candidates.

Age

From **18 years** old

Gender

Male

Phase

3

Groups that have been masked

No information

Sample size

Target sample size: **60**

Randomization (investigator's opinion)

Not randomized

Randomization description

Blinding (investigator's opinion)

Not blinded

Blinding description

Placebo

Not used

Assignment

Parallel

Other design features

Secondary Ids

empty

Ethics committees

1

Ethics committee

Name of ethics committee

Ethics Committee of Isfahan University of Medical Sciences

Street address

Hezar Jarib St., Isfahan, Iran.

City

Isfahan

Province

Isfahan

Postal code

81746-73461

Approval date

2025-02-08, 1403/11/20

Ethics committee reference number

IR.MUI.MED.REC.1403.455

Health conditions studied

1

Description of health condition studied

Inguinal Hernia

ICD-10 code

K40

ICD-10 code description

inguinal hernia

Primary outcomes

1

Description

Grade of pain

Timepoint

2 hours, 1 day, at discharge, one month after surgery

Method of measurement

Visual Analogue Scale

2

Description

complications (Hematoma, seroma, Rehospitalization, Hernia recurrence), Vascular, bladder or, bowels injury

Timepoint

During or after surgery

Method of measurement

Surgeon's evaluations and reports

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: The patients in this group are operated with the eTEP technique, which is described as follows: A transverse incision is performed superior to the umbilicus, utilizing a transrectal approach on the left side. The posterior sheath of the rectus abdominis muscle is meticulously separated to gain access to the preperitoneal space. The carbon dioxide gas source is calibrated to achieve an intra-abdominal pressure (IAP) of 12 mmHg. Following this, a 10 mm optic trocar is introduced. The hernia sac is transferred into the preperitoneal space and repositioned laterally. The pubic bone and the inguinal ligament are subsequently isolated. A 12 × 15 cm mesh is secured in place using a stapler. The preperitoneal space is then evacuated, and the surgical wounds are sutured closed, followed by

bandaging.

Category

Treatment - Surgery

2

Description

Control group: Patients in this group are operated on with the TAPP technique. In Transabdominal Preperitoneal (TAPP) repair for inguinal hernia, the procedure begins with the patient under general anesthesia in a supine Trendelenburg position. A 10 mm infraumbilical trocar is inserted for the laparoscope, with two additional 5 mm working ports placed in the lower abdomen. A peritoneal incision is made above the hernia defect, and the peritoneal flap is dissected to expose the preperitoneal space. The hernia sac is carefully reduced, with indirect sacs fully dissected and direct sacs reduced. A synthetic mesh (typically 10x15 cm) is then placed in the preperitoneal space, covering the myopectineal orifice, and secured with tacks or fibrin glue if necessary. The peritoneal flap is closed using sutures or tacks to prevent mesh exposure to the bowel. Finally, trocar sites are closed, and the patient is awakened from anesthesia and monitored postoperatively for early complications.

Category

Treatment - Surgery

Recruitment centers

1

Recruitment center

Name of recruitment center

Alzahra University Hospital

Full name of responsible person

Masoud Sayyadi

Street address

Sofe Blvd

City

Isfahan

Province

Isfahan

Postal code

8174675731

Phone

+98 31 3822 0000

Email

alzahra@mui.ac.ir

Web page address

https://alzahra.mui.ac.ir/

2

Recruitment center

Name of recruitment center

Kashani Hospital

Full name of responsible person

Masoud Sayyadi

Street address

Kashani St.

City

Isfahan

Province

Isfahan

Postal code

kashani@mui.ac.ir

Phone

+98 31 3233 0091

Email

kashani@mui.ac.ir

Web page address

https://kashani.mui.ac.ir/

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Masoud Sayyad Shahraki

Street address

Sofe Blvd

City

Isfahan

Province

Isfahan

Postal code

8174675731

Phone

+98 31 3822 0000

Email

drsayadi@yahoo.com

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Esfahan University of Medical Sciences

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Esfahan University of Medical Sciences

Full name of responsible person

Masoud Sayyadi Shahraki

Position

Associate Professor

Latest degree

Subspecialist
Other areas of specialty/work
General Surgery
Street address
Sofe Blvd
City
Isfahan
Province
Isfahan
Postal code
8174675731
Phone
+98 31 3822 0000
Email
drsayadi@yahoo.com

Person responsible for scientific inquiries

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Alireza Jalili
Position
Consultant
Latest degree
Specialist
Other areas of specialty/work
General Surgery
Street address
Sofe Blvd
City
Isfahan
Province
Isfahan
Postal code
8174675731
Phone
+98 31 3822 0000
Email
jalili.alireza110@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Esfahan University of Medical Sciences
Full name of responsible person
Alireza Jalili
Position

Consultant
Latest degree
Specialist
Other areas of specialty/work
General Surgery
Street address
Sofe Blvd
City
Isfahan
Province
Isfahan
Postal code
8174675731
Phone
+98 31 3822 0000
Email
jalili.alireza110@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

No more information is available.

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Not applicable

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

Yes - There is a plan to make this available

Analytic Code

Not applicable

Data Dictionary

Not applicable

Title and more details about the data/document

-

When the data will become available and for how long

-

To whom data/document is available

-

Under which criteria data/document could be used

-

From where data/document is obtainable

-

What processes are involved for a request to access data/document

-

Comments