

# Clinical Trial Protocol

## Iranian Registry of Clinical Trials

27 Jul 2026

### Comparison the Effect of Scapula-Focused Exercises and Kinetic Chain Rehabilitation on Strength, proprioception, pain and disability on Athletes with Scapula Dyskinesia

#### Protocol summary

##### Study aim

Comparison the effect of scapula-focused and kinetic chain exercises on strength, proprioception, pain and disability of athlete with scapula dyskinesia

##### Design

Two arm parallel group randomized trial with blinded outcome assessment

##### Settings and conduct

The present study was an interventional, semi-experimental, and applied research design. All participants performed the exercises under the supervision of a corrective exercise specialist for 8 weeks in their respective groups. Assessments were conducted one week prior to the intervention and after the two 8-week interventions by a blinded evaluator. The measured variables included pain, disability, muscle strength, and proprioception. All measurements were carried out in the university laboratory.

##### Participants/Inclusion and exclusion criteria

Inclusion Criteria: Males aged 18–30,  $\geq 3$  years in overhead sports, positive Kibler lateral scapular slide test, and VAS pain score 3–7. Exclusion Criteria: Lack of consent, abnormal BMI, shoulder trauma, fracture, dislocation, ROM limitation, upper limb surgery in past 2 years, structural deformities (kyphosis, scoliosis), or neurological/musculoskeletal disorders limiting motion.

##### Intervention groups

Experimental Group 1 (Scapula-Focused): Performed 8 strengthening exercises for the serratus anterior, middle and lower trapezius, and rotator cuff to improve scapulohumeral rhythm and glenohumeral stability. Experimental Group 2 (Kinetic Chain): Performed 11 exercises involving upper limbs, trunk, and lower limbs to enhance neuromuscular coordination and force transfer, including dynamic movements mimicking daily and sports activities.

##### Main outcome variables

muscle strength, proprioception, pain and disability

#### General information

##### Reason for update

##### Acronym

##### IRCT registration information

IRCT registration number: **IRCT20250827067022N1**

Registration date: **2025-09-22, 1404/06/31**

Registration timing: **prospective**

Last update: **2025-09-22, 1404/06/31**

Update count: **0**

##### Registration date

2025-09-22, 1404/06/31

##### Registrant information

##### Name

Nima Tadbiri

##### Name of organization / entity

Kharazmi University

##### Country

Iran (Islamic Republic of)

##### Phone

+98 21 4465 7491

##### Email address

nima982093044@khu.ac.ir

##### Recruitment status

**Recruitment complete**

##### Funding source

##### Expected recruitment start date

2025-10-03, 1404/07/11

##### Expected recruitment end date

2025-11-04, 1404/08/13

##### Actual recruitment start date

empty

##### Actual recruitment end date

empty

**Trial completion date**  
empty

**Scientific title**  
Comparison the Effect of Scapula-Focused Exercises and Kinetic Chain Rehabilitation on Strength, proprioception, pain and disability on Athletes with Scapula Dyskinesia

**Public title**  
Effect of scapula - focused and kinetic chain exercises in athletes with scapula dyskinesia

**Purpose**  
Treatment

**Inclusion/Exclusion criteria**  
**Inclusion criteria:**  
 Aged between 18 and 30 Being male with at least 3 years experience in overhead sports A positive Kibler lateral scapula side test performed by a physiotherapist Pain intensity of 3 to 7 on the Visual Analog Scale  
**Exclusion criteria:**  
 Lack of willingness or dissatisfaction of the individual to participate in or continue the test Abnormal body mass index History of trauma, fracture or shoulder joint dislocation Limited shoulder range of motion History of upper limb surgery in the past 2 years Presence of structural abnormalities in the shoulder or thoracic, such as kyphosis or scoliosis Presence of neurological or musculoskeletal diseases that cause movement limitations

**Age**  
From **18 years** old to **30 years** old

**Gender**  
Male

**Phase**  
N/A

**Groups that have been masked**

- Participant
- Outcome assessor

**Sample size**  
Target sample size: **45**

**Randomization (investigator's opinion)**  
Randomized

**Randomization description**  
Following the baseline examination, by using the method on the website <http://randomizer.org> participants are randomly assigned into the two experimental groups (neuromuscular training with an attentional focus), (therapeutic exercise), and control group. Simple randomization is used. Concealed allocation is performed using a computer generated block randomized table of numbers ( 1 and 2 for experimental groups and 3 for control group) created before the start of data collection by researcher who is not involved in the recruitment or treatment of patients. Then, the random numerical sequence is placed in sealed opaque envelope and processed with treatment according to the group assignment. A blinded outcome assessor who does not know the hypothesis and study methods, measures outcome at baseline and 8 weeks post-intervention.

**Blinding (investigator's opinion)**

Single blinded

**Blinding description**  
In this study, blinding will be carried out in a single-blind manner. This means that only the participants and outcome assessor will be unaware of the type of intervention and the group to which they have been allocated (experimental or control), while the main researchers will be aware of the allocation. To minimize bias, the allocation of participants to groups will be performed using a block randomization method by an individual independent from the data collection team. Participants will be informed that they are taking part in a comparative study, but details about the exact type of intervention and the differences between groups will not be disclosed. All interventions will be delivered under similar timing and environmental conditions so that no obvious differences are detectable by the participants. Additionally, participants will be asked to refrain from inquiring about the type of intervention or comparisons with the other group. Data collection will be carried out by a trained assessor who, as much as possible, will remain minimally informed about the final objectives and main hypotheses of the study, in order to reduce observer bias in outcome measurement. In case of circumstances where blinding may be compromised (such as direct questioning by a participant or specific side effects), such events will be documented and considered in the final analysis.

**Placebo**  
Not used

**Assignment**  
Parallel

**Other design features**

**Secondary Ids**  
empty

**Ethics committees**

**1**

**Ethics committee**  
**Name of ethics committee**  
Ethics committee of Kharazmi University  
**Street address**  
Faculty of physical education; south razan; mirdamad;tehran  
**City**  
Tehran  
**Province**  
Tehran  
**Postal code**  
1393953696  
**Approval date**  
2025-06-25, 1404/04/04  
**Ethics committee reference number**  
IR.KHU.REC.1404.066

**Health conditions studied**

## 1

### **Description of health condition studied**

Scapula dyskinesia

### **ICD-10 code**

M25.819

### **ICD-10 code description**

Other specified joint disorders, unspecified shoulder

## **Primary outcomes**

### 1

#### **Description**

pain

#### **Timepoint**

Pre-test( before the start of the study) and post-test(at the end of the study)

#### **Method of measurement**

The pain variable was measured by a visual pain intensity scale.

## **Secondary outcomes**

### 1

#### **Description**

disability

#### **Timepoint**

Pre-test (before the start of the study) and post-test (at the end of the study)

#### **Method of measurement**

The DASH questionnaire was used to assess functional impairment in daily activities.

### 2

#### **Description**

muscle strength

#### **Timepoint**

Pre-test (before the start of the study) and post-test (at the end of the study)

#### **Method of measurement**

Shoulder muscle strength during internal and external rotation was assessed in a concentric-concentric mode using an isokinetic dynamometer under standardized laboratory conditions.

### 3

#### **Description**

joint position sense

#### **Timepoint**

Pre-test (before the start of the study) and post-test (at the end of the study)

#### **Method of measurement**

Active proprioception of the shoulder during internal and external rotation was measured using an isokinetic dynamometer.

## **Intervention groups**

### 1

#### **Description**

First Intervention group: The scapula-focused exercise protocol was implemented over 8 weeks with three 60-minute sessions per week. Each session included a 10-minute warm-up, the main exercise phase, and a 10-minute cool-down. The main phase consisted of 8 selected exercises designed to strengthen and stabilize key scapular muscles, including the serratus anterior, middle and lower trapezius, and the rotator cuff. Each exercise was performed in 3 sets of 10 repetitions, and progression was applied by gradually increasing the number of sets and repetitions to enhance shoulder strength, stability, and scapulohumeral rhythm in a structured manner.

#### **Category**

Treatment - Other

### 2

#### **Description**

Second Intervention group: The kinetic chain rehabilitation protocol was carried out over 8 weeks, with three 60-minute sessions per week. Each session consisted of a 10-minute dynamic warm-up, the main exercise phase, and a 10-minute cool-down. The main phase included 11 selected exercises designed to integrate the upper limbs, trunk, and lower limbs through kinetic chain patterns. These exercises involved movements such as lunges with overhead press, diagonal chop and lift, push-up plus, single-leg squat with reach, and dynamic throwing or pulling tasks, aiming to simulate force transmission from the lower limbs to the shoulder girdle. Each exercise was initially performed in 3 sets of 10 repetitions, with progression achieved by gradually increasing to 4 sets of 12 repetitions and then 5 sets of 10 repetitions. This structured progression was intended to enhance neuromuscular coordination, improve force transfer, and optimize functional performance in both daily and sport-related activities.

#### **Category**

Treatment - Other

### 3

#### **Description**

Control group: The control group will not receive any intervention during the 8 week training protocol comprises kinetic chain and scapula focused exercises and they will continue their daily routine basis.

#### **Category**

N/A

## **Recruitment centers**

### 1

#### **Recruitment center**

**Name of recruitment center**

Kharazmi University

**Full name of responsible person**

Seyed Sadr-o-din Shoja-o-din

**Street address**

Kharazmi Faculty of Physical Education and Sports Sciences, at the end of Hesari Street, Mirdamad Boulevard

**City**

Tehran

**Province**

Tehran

**Postal code**

15875-4398

**Phone**

+98 21 2222 8001

**Email**

nima.tadbiri@gmail.com

**Sponsors / Funding sources****1****Sponsor****Name of organization / entity**

Kharazmi University

**Full name of responsible person**

Seyed Sadr-o-din Shoja-o-din

**Street address**

Center for Human Movement Sciences Kharazmi University Mirdamad, South Razan Street, Hesari Street, Keshvari Sport Complex

**City**

Tehran

**Province**

Tehran

**Postal code**

1571914911

**Phone**

+98 21 2222 1008

**Email**

sa\_shojaedin@yahoo.com

**Grant name****Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

No

**Title of funding source**

No governmental fund has been received for this study, and it is conducted by researchers.

**Proportion provided by this source**

100

**Public or private sector**

Private

**Domestic or foreign origin**

Domestic

**Category of foreign source of funding**

empty

**Country of origin****Type of organization providing the funding**

Persons

**Person responsible for general inquiries****Contact****Name of organization / entity**

Kharazmi University

**Full name of responsible person**

Seyed Sadr-o-din Shoja-o-din

**Position**

Professor

**Latest degree**

Ph.D.

**Other areas of specialty/work**

Corrective exercises

**Street address**

Center for Human Movement Sciences Kharazmi University Mirdamad, South Razan Street, Hesari Street, Keshvari Sport Complex

**City**

Tehran

**Province**

Tehran

**Postal code**

1571914911

**Phone**

+98 21 2222 1008

**Email**

sa\_shojaedin@yahoo.com

**Person responsible for scientific inquiries****Contact****Name of organization / entity**

Kharazmi University

**Full name of responsible person**

Seyed Sadr-o-din Shoja-o-din

**Position**

Professor

**Latest degree**

Ph.D.

**Other areas of specialty/work**

Corrective exercises

**Street address**

Center for Human Movement Sciences Kharazmi University Mirdamad, South Razan Street, Hesari Street, Keshvari Sport Complex

**City**

Tehran

**Province**

Tehran

**Postal code**

1571914911

**Phone**

+98 21 2222 1008

**Email**

sa\_shojaedin@yahoo.com

**Person responsible for updating data****Contact****Name of organization / entity**

Kharazmi University

**Full name of responsible person**

Seyed Sadr-o-din Shoja-o-din

**Position**

Professor

**Latest degree**

Ph.D.

**Other areas of specialty/work**

Corrective exercises

**Street address**

Center for Human Movement Sciences Kharazmi  
University Mirdamad, South Razan Street, Hesari  
Street, Keshvari Sport Complex

**City**

Tehran

**Province**

Tehran

**Postal code**

1571914911

**Phone**

+98 21 2222 1008

**Email**

sa\_shojaedin@yahoo.com

**Sharing plan****Deidentified Individual Participant Data Set (IPD)**

Undecided - It is not yet known if there will be a plan to make this available

**Study Protocol**

Undecided - It is not yet known if there will be a plan to make this available

**Statistical Analysis Plan**

Undecided - It is not yet known if there will be a plan to make this available

**Informed Consent Form**

Undecided - It is not yet known if there will be a plan to make this available

**Clinical Study Report**

Undecided - It is not yet known if there will be a plan to make this available

**Analytic Code**

Undecided - It is not yet known if there will be a plan to make this available

**Data Dictionary**

Undecided - It is not yet known if there will be a plan to make this available