

Clinical Trial Protocol

Iranian Registry of Clinical Trials

17 Jul 2026

Acute effects of plyometric-dynamic stretching sequencing on athletic and neuromuscular performance in soccer players: A randomized crossover trial

Protocol summary

Study aim

Comparing two sequences of dynamic stretching and plyometric drop jumps on athletic and neuromuscular performance in amateur soccer players.

Design

Randomized, double-blind, three-arm crossover trial, phase not applicable, on 20 soccer players. Randomization using randomizer.org with allocation concealment by sealed opaque envelopes.

Settings and conduct

This randomized three-arm crossover trial on 20 amateur soccer players in Türkiye compared DS+DJ, DJ+DS, and control conditions across separate sessions. Outcome assessors and data analysts were blinded.

Participants/Inclusion and exclusion criteria

Inclusion: Male soccer players, 18-25 years, amateur competitive level, ≥ 3 training sessions/week + 1 match/week, forward/midfielder/full-back, ≥ 6 months training, no lower limb injury in last 3 months. Exclusion: Goalkeepers, central defenders, active musculoskeletal injuries, performance-enhancing supplements, unable to complete sessions, contraindicated medical conditions.

Intervention groups

DS+DJ group: After a 5-minute standard warm-up, participants performed dynamic stretching (2 leg swing exercises, 15 repetitions each) followed by 3 plyometric drop jumps from an individualized box height (30-50 cm). DJ+DS group: After a 5-minute standard warm-up, participants performed 3 plyometric drop jumps from an individualized box height (30-50 cm) followed by dynamic stretching (2 leg swing exercises, 15 repetitions each). Control group (CC): After a 5-minute standard warm-up, participants rested passively in a seated position for 5 minutes with no additional exercises.

Main outcome variables

L-drill maneuverability time; RSA total time; RSA fatigue index; 10m linear sprint time; CMJ height; standing broad

jump distance

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20230612058457N9**

Registration date: **2026-05-23, 1405/03/02**

Registration timing: **retrospective**

Last update: **2026-05-23, 1405/03/02**

Update count: **0**

Registration date

2026-05-23, 1405/03/02

Registrant information

Name

Mohammad Alimoradi

Name of organization / entity

Shahid Bahonar University

Country

Iran (Islamic Republic of)

Phone

+98 34 2250 1685

Email address

malimoradi@sport.uk.ac.ir

Recruitment status

Recruitment complete

Funding source

Expected recruitment start date

2026-03-16, 1404/12/25

Expected recruitment end date

2026-03-29, 1405/01/09

Actual recruitment start date

2026-03-16, 1404/12/25

Actual recruitment end date

2026-03-29, 1405/01/09		quasi-randomization methods (such as allocation based on birth date or odd/even numbers) were used in this study.	
Trial completion date		Blinding (investigator's opinion)	
2026-05-03, 1405/02/13		Double blinded	
Scientific title		Blinding description	
Acute effects of plyometric-dynamic stretching sequencing on athletic and neuromuscular performance in soccer players: A randomized crossover trial		Due to the nature of the exercise interventions, participants and the intervention deliverer could not be blinded to condition allocation. However, outcome assessors responsible for administering performance tests and recording measurements were blinded to condition allocation, and data analysts were also blinded until the completion of the primary statistical analysis. Therefore, this study is considered double-blind.	
Public title		Placebo	
Comparison of the sequencing of plyometric exercises and dynamic stretching on athletic and neuromuscular performance in soccer players		Not used	
Purpose		Assignment	
Supportive		Crossover	
Inclusion/Exclusion criteria		Other design features	
Inclusion criteria:		Secondary Ids	
Male soccer players aged 18 to 25 years Competed at the university or competitive amateur club level Completed a minimum of three training sessions and one match per week Played in one of the following field positions: forward, midfielder, or full-back Had at least six months of structured soccer training Reported no lower limb injuries in the preceding three months		empty	
Exclusion criteria:		Ethics committees	
Being a goalkeeper Being a central defender (due to distinct physical demands) Having current musculoskeletal injuries Using performance-enhancing supplements (e.g., creatine, beta-alanine, anabolic agents) Being unable to complete all testing sessions Having any medical condition that contraindicated maximal exercise		1	
Age		Ethics committee	
From 18 years old to 25 years old		Name of ethics committee	
Gender		Ethics Committee of Vasile Alecsandri University of Bacău	
Male		Street address	
Phase		Calea Mărășești 157, 600115 Bacău, Romania	
N/A		City	
Groups that have been masked		Bacău	
- Outcome assessor - Data analyser		Postal code	
Sample size		600115	
Target sample size: 20		Approval date	
Actual sample size reached: 20		2026-02-09, 1404/11/20	
Randomization (investigator's opinion)		Ethics committee reference number	
Randomized		Decision No. 9/2/09.02.2026	
Randomization description		Health conditions studied	
In this randomized crossover trial with three experimental conditions (DS+DJ, DJ+DS, and CC), the randomization sequence was generated by an independent researcher using randomizer.org software employing a balanced Latin square design to ensure that each condition appeared equally often in the first, second, and third positions across participants. The unit of randomization was individual, and no stratification was used. For allocation concealment, the generated sequences were placed in sequentially numbered, opaque, sealed envelopes, which were opened by the intervention deliverer only after completion of the standard warm-up and immediately before delivery of the experimental intervention. It should be noted that no		1	
		Description of health condition studied	
		Athletic Performance	
		ICD-10 code	
		ICD-10 code description	
		Primary outcomes	
		1	
		Description	
		Agility	
		Timepoint	
		Pre-test (before intervention) and post-test (immediately after 2 minutes of rest following the intervention)	
		Method of measurement	

Timing gates (Speedlight, Swift Performance, Australia) placed at hip height (0.7 m) to align with the center of mass at the start/finish line. The participant began from a stationary two-point staggered stance with the front foot placed 0.5 m behind the start gate to prevent premature triggering. Time was recorded in seconds. Participants completed two maximal efforts with 2 minutes of passive recovery between attempts. The best (fastest) completion time was recorded.

2

Description

Repetitive speed ability total time

Timepoint

Pre-test (before intervention) and post-test (immediately after 2 minutes of rest following the intervention)

Method of measurement

Six bouts of 10-meter sprints (including 5 meters straight and 5 meters with a 45° cut) with 25 seconds of passive recovery between each bout. Standing start. Timing gates (Speedlight, Swift Performance, Australia) were positioned at the start line (0 m) and the finish line (10 m total distance). Total time was calculated as the sum of all six sprint times and recorded in seconds.

3

Description

Repetitive speed ability fatigue index

Timepoint

Pre-test (before intervention) and post-test (immediately after 2 minutes of rest following the intervention)

Method of measurement

Calculated using the formula: $[(\text{Total time} / \text{Ideal time}) - 1] \times 100$. Ideal time was defined as the fastest sprint time multiplied by six. The result was reported as a percentage (%).

4

Description

10m linear sprint

Timepoint

Pre-test (before intervention) and post-test (immediately after 2 minutes of rest following the intervention)

Method of measurement

Timing gates were positioned at the start line and the 10-meter mark. The participant began from a stationary upright two-point staggered start with the front foot placed 0.5 m behind the start gate to prevent premature triggering. Time was recorded in seconds. Participants completed two maximal attempts with 2 minutes of passive recovery between trials. The best (fastest) time was recorded.

5

Description

Countermovement jump height

Timepoint

Pre-test (before intervention) and post-test (immediately after 2 minutes of rest following the intervention)

Method of measurement

An iPhone 15 running the My Jump 3 application (version 3.0.10, Carlos Balsalobre, Madrid, Spain) was used. Videos were recorded at 240 frames per second using the iPhone 15's slow-motion capture mode from the sagittal plane. The participant stood upright with hands placed on the hips to eliminate arm swing assistance. The movement consisted of a rapid, maximal vertical jump preceded by a quick knee bend to approximately 90° of flexion, performed in a single seamless motion. Jump height was calculated using the formula $h = t^2 \times 1.22625$, where h is jump height in meters and t is flight time in seconds. Three maximal attempts were performed with 30 seconds of passive recovery between each attempt. The best (highest) jump height was recorded in centimeters.

6

Description

Standing broad jump distance

Timepoint

Pre-test (before intervention) and post-test (immediately after 2 minutes of rest following the intervention)

Method of measurement

The participant performed a horizontal jump from a standing start with a bilateral takeoff and landing. Arm swing was permitted. Landing distance was measured from the takeoff line to the nearest point of contact (heel) using a standardized measuring tape in centimeters. Three maximal attempts were performed, and the best distance was recorded.

Secondary outcomes

empty

Intervention groups

1

Description

Intervention group: After 5 minutes of standard warm-up, the participant first performed dynamic stretching exercises consisting of two leg swing movements (anterior-posterior and medial-lateral), each with 15 repetitions per leg at a controlled rhythmic pace. Immediately after that, they performed three vertical drop jumps from a plyometric box at an individualized height between 30 and 50 cm. Then, 2 minutes of passive rest was given, followed by the performance testing battery.

Category

N/A

2

Description

Intervention group: After 5 minutes of standard warm-up, the participant first performed three vertical drop jumps from a plyometric box at an individualized height between 30 and 50 cm. Immediately after that, they performed dynamic stretching exercises consisting of

two leg swing movements (anterior-posterior and medial-lateral), each with 15 repetitions per leg at a controlled rhythmic pace. Then, 2 minutes of passive rest was given, followed by the performance testing battery.

Category

N/A

3

Description

Control group: After 5 minutes of standard warm-up, the participant rested passively in a seated position for 5 minutes with no additional dynamic stretching or plyometric exercises. Then, 2 minutes of passive rest was given, followed by the performance testing battery.

Category

N/A

Recruitment centers

1

Recruitment center

Name of recruitment center

Sivas Yolspor Soccer Club

Full name of responsible person

Mohammad Alimoradi

Street address

Unit 6, Yekta Complex, 12th Alley, Fathali Shahi Street.

City

Kerman

Province

Kerman

Postal code

7614816961

Phone

+98 34 3225 0168

Email

malimoradisport@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Vasile Alecsandri University

Full name of responsible person

Bogdan Antohe

Street address

Calea Mărășești 157, 600115 Bacău, Romania

City

Bacău

Postal code

600115

Phone

+40 747 473 082

Email

antohe.bogdan@ub.ro

Grant name

Grant code / Reference number

Is the source of funding the same sponsor organization/entity?

Yes

Title of funding source

Vasile Alecsandri University

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Foreign

Category of foreign source of funding

Sponsor: country of origin

Country of origin

RO

Type of organization providing the funding

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Shahid Bahonar University

Full name of responsible person

Mohammad Alimoradi

Position

Graduated Student

Latest degree

Master

Other areas of specialty/work

Sport Medicine

Street address

Unit 6, Yekta residential complex, Fathalishahi 12 St, Kerman, Iran

City

Kerman

Province

Kerman

Postal code

7614816961

Phone

+98 34 2250 1685

Fax

Email

malimoradisport@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Shahid Bahonar University

Full name of responsible person

Mohammad Alimoradi

Position

Graduated Student

Latest degree

Master

Other areas of specialty/work

Sport Medicine

Street address

Unit 6, Yekta residential complex, Fathalishahi 12 St,

Kerman, Iran
City
Kerman
Province
Kerman
Postal code
7614816961
Phone
+98 34 2250 1685
Fax
Email
malimoradisport@gmail.com

Person responsible for updating data

Contact

Name of organization / entity
Shahid Bahonar University
Full name of responsible person
Mohammad Alimoradi
Position
Graduated Student
Latest degree
Master
Other areas of specialty/work
Sport Medicine
Street address
Unit 6, Yekta residential complex, Fathalishahi 12 St,
Kerman, Iran
City
Kerman
Province
Kerman
Postal code
7614816961
Phone
+98 34 2250 1685
Fax
Email
malimoradisport@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

Yes - There is a plan to make this available

Study Protocol

Yes - There is a plan to make this available

Statistical Analysis Plan

Yes - There is a plan to make this available

Informed Consent Form

Yes - There is a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

Yes - There is a plan to make this available

Data Dictionary

Yes - There is a plan to make this available

Title and more details about the data/document

All data will be shared after anonymizing individuals, ensuring their non-identifiability.

When the data will become available and for how long

The data access period will start immediately after the results are printed.

To whom data/document is available

The data will be made available to researchers, organizations, and institutions related to the field of football and also for publication in accessible journals.

Under which criteria data/document could be used

In order to assist scientific research and promote the implementation of executive goals with a focus on reducing musculoskeletal injuries and enhancing the performance of football players in the field.

From where data/document is obtainable

Mohammad Alimoradi/malimoradisport@gmail.com

What processes are involved for a request to access data/document

Requests for access to data will be answered within a week

Comments