

Clinical Trial Protocol

Iranian Registry of Clinical Trials

10 Jun 2026

Comparing the effectiveness of women's therapy on compassion and couples therapy on domestic violence for shame and guilt, marital burnout, and emotion regulation in domestic violence-related trauma

Protocol summary

Study aim

Comparing the effectiveness of compassion-focused therapy and domestic violence-focused couple therapy on feelings of shame and guilt, marital frustration, and emotion regulation in women affected by domestic violence.

Design

Clinical trials with control groups, with parallel groups, are selected by a non-randomized purposive method. Then, through simple randomization by drawing lots from the 45 people who were selected. They are placed in two experimental groups and one control group. Blinding is not done.

Settings and conduct

Women affected by domestic violence who referred to psychological clinics in Dezful city were selected through purposive random sampling according to the research criteria, 45 people, and then 15 people were randomly assigned to (two intervention groups and one control group) through simple random sampling, and the data were analyzed using repeated measures analysis of variance. Blinding was not performed.

Participants/Inclusion and exclusion criteria

Entry criteria: Signed consent form by the subject, no mental disorders or substance dependence, women who had been subjected to domestic violence for one year. Exit criteria: Physical and mental illnesses, stressful events

Intervention groups

1- Compassion-based therapy intervention group: It includes awareness and compassionate contact with human pain and suffering, along with openness and kindness, in such a way that the person does not try to avoid them. 2- Domestic violence-focused couple therapy intervention group: It seeks to stop various types of domestic violence and gives couples the opportunity to continue their relationship while promoting positive

experiences and feelings by reducing anxiety and negative emotional feelings related to communication.

Main outcome variables

Feelings of shame and guilt, marital burnout, and emotion regulation

General information

Reason for update

Acronym

IRCT registration information

IRCT registration number: **IRCT20260510069336N1**

Registration date: **2026-05-29, 1405/03/08**

Registration timing: **prospective**

Last update: **2026-05-29, 1405/03/08**

Update count: **0**

Registration date

2026-05-29, 1405/03/08

Registrant information

Name

Mohammad hossein Sabzeghaba

Name of organization / entity

Country

Iran (Islamic Republic of)

Phone

+98 61 4253 5317

Email address

m.sabzeghaba@iaui.ir

Recruitment status

recruiting

Funding source

Expected recruitment start date

2026-06-10, 1405/03/20

Expected recruitment end date

2026-08-11, 1405/05/20

Actual recruitment start date

empty

Actual recruitment end date

empty

Trial completion date

empty

Scientific title

Comparing the effectiveness of women's therapy on compassion and couples therapy on domestic violence for shame and guilt, marital burnout, and emotion regulation in domestic violence-related trauma

Public title

The effectiveness of compassion-focused therapy and domestic violence-focused couple therapy

Purpose

Education/Guidance

Inclusion/Exclusion criteria**Inclusion criteria:**

Signing of written consent by subjects Women who have been subjected to domestic violence for a year No chronic or major psychiatric disorders at the time of the study, no history of schizophrenia or bipolar disorder, no substance dependence.

Exclusion criteria:

The occurrence of significant stressful events during the study (loss of a family member, loss of job, bankruptcy, etc.) Participation in psychotherapy or pharmacological interventions effective for depression/anxiety within the past 3 months. Suffering from a serious physical illness

Age

From **18 years** old to **55 years** old

Gender

Female

Phase

N/A

Groups that have been masked

No information

Sample size

Target sample size: **45**

Randomization (investigator's opinion)

Randomized

Randomization description

After being selected, eligible samples will be randomly assigned to two intervention groups and one control group. For concealment, we use allocation concealment, which refers to the method used to perform a random sequence on study participants in such a way that the assigned group is not known before the individual is allocated. Using opaque sealed envelopes with a random sequence that is in (Sealed, Sequentially, Envelopes, Numbered), this method records each of the random sequences created on a card and the cards are placed inside the envelopes in order. To maintain the random sequence, the envelopes are numbered in the same order on the outside. Finally, the envelopes are taped shut and placed in a box in order. At the start of participant registration, based on the order in which eligible participants enter the study, one of the envelopes is opened in order to reveal the participant's assigned group.

Blinding (investigator's opinion)

Not blinded

Blinding description**Placebo**

Not used

Assignment

Parallel

Other design features**Secondary Ids**

empty

Ethics committees**1****Ethics committee****Name of ethics committee**

Ethics Committee of Islamic Azad University of Ahvaz Branch

Street address

Islamic Azad University, Ahvaz Branch, Golestan, Farhangshahr,

City

Ahvaz

Province

Khouzestan

Postal code

6134937333

Approval date

2026-02-21, 1404/12/02

Ethics committee reference number

IR.IAU.AHVAZ.REC.1404.676

Health conditions studied**1****Description of health condition studied**

domestic violence

ICD-10 code

R45.6

ICD-10 code description

Violent behavior

Primary outcomes**1****Description**

Feelings of shame and guilt

Timepoint

Before the intervention - One week after the intervention
- Two months after the intervention

Method of measurement

In the present study, fear of feeling shame and guilt refers to the score that the subject obtains from the Cohen Shame and Guilt Questionnaire (2011).

2

Description

Marital heartbreak

Timepoint

Before the intervention - One week after the intervention
- Two months after the intervention

Method of measurement

In the present study, marital burnout refers to the score that the subject obtains from the Pines 1994 Marital Burnout Questionnaire.

3

Description

Excitement regulation

Timepoint

Before the intervention - One week after the intervention
- Two months after the intervention

Method of measurement

In the present study, emotion regulation refers to the score that the subject obtains from the Gross and John (2003) emotion regulation questionnaire.

4

Description

domestic violence

Timepoint

Before the intervention - One week after the intervention
- Two months after the intervention

Method of measurement

In the present study, domestic violence refers to the score that the subject obtains from the Haj Yahya 1994 Violence Against Women Questionnaire.

Secondary outcomes

empty

Intervention groups

1

Description

The first intervention group, Compassion-focused therapy. The protocol of this therapy is derived from Gilbert's research, each session includes the title and general content of the session, a description of the session, and assignments. This protocol will be implemented by a psychologist specializing in this field in 8 60-minute sessions, one session per week for two months. The first session is to establish initial group communication, review the structure of the sessions, familiarize yourself with the general principles and distinguish compassion from self-pity. The second session is to train mindfulness along with body scan and breathing exercises, familiarize yourself with brain systems based on compassion, and train empathy, train you to understand and understand that people feel and follow things with an empathetic attitude. The third session is to get to know the characteristics of people who have compassion for others, cultivate a sense of warmth and kindness

towards yourself, and develop an understanding that others also have flaws and problems. The fourth session, encouraging the subjects to self-recognize and examine their personality as a compassionate or non-compassionate person, according to the educational topics of identifying and applying compassionate mind-building exercises, the value of self-compassion, empathy and sympathy towards oneself and others, and teaching the physiotherapist metaphor) and teaching forgiveness. The fifth session, familiarizing and applying compassionate mind-building exercises, teaching accepting problems, accepting upcoming changes, and tolerating difficult and challenging situations, considering the variability of life and the fact that people face different challenges. The sixth session, practical practice of creating compassionate images, teaching styles and methods of expressing compassion and applying these methods in everyday life and for spouses, children, parents, friends, teachers, and acquaintances, teaching the development of valuable and sublime feelings, The seventh session, training in writing compassionate letters for oneself and others, a training method for recording and recording daily notes of real situations based on compassion and the person's performance in that situation. The eighth session, training and practicing skills, reviewing and practicing the skills presented in previous sessions to help the subjects cope with different situations in their lives in different ways, and finally, summarizing and presenting solutions for maintaining and applying this therapeutic method in everyday life.

Category

Behavior

2

Description

Second intervention group: Couple therapy focused on domestic violence (Estis et al., 2011) The duration of each couple therapy session based on domestic violence was 90 minutes, which was implemented in 12 sessions and once a week by a qualified person familiar with the research intervention program. First session: Introduction, pre-test, second session: Creating hope for the future, third session: Identifying various forms of violence, fourth session: Teaching clients skills to deal with violence, Session 5: Training in monitoring for signs of escalating violence and providing opportunities for partners to discuss and teach problem-solving skills, Session six: Introducing the client to the effects of substance use in life, sessions seven to twelve, joint treatment

Category

Behavior

3

Description

Control group: Control group: This group will not receive any intervention in the study.

Category

Behavior

Recruitment centers

1

Recruitment center

Name of recruitment center

Dezful City Psychological Clinic

Full name of responsible person

Mohammad Hossein Sabzeghaba

Street address

No. 86, Somayeh Street, Corner of Bouzarjomehri Street

City

Dezful

Province

Khouzestan

Postal code

6461816115

Phone

+98 61 4253 5317

Email

mhsa2020iran@gmail.com

Sponsors / Funding sources

1

Sponsor

Name of organization / entity

Islamic Azad University

Full name of responsible person

Dr. Pejman Taghipour Birgani

Street address

Islamic Azad University of Ahvaz Golestan Highway, Farhang Shahr,

City

Ahvaz

Province

Khouzestan

Postal code

۶۱۳۴۹-۳۷۳۳

Phone

+98 61 3334 8320

Email

p_taghipour@iauahvaz.ac.ir

Grant name**Grant code / Reference number****Is the source of funding the same sponsor organization/entity?**

Yes

Title of funding source

Islamic Azad University

Proportion provided by this source

100

Public or private sector

Public

Domestic or foreign origin

Domestic

Category of foreign source of funding

empty

Country of origin**Type of organization providing the funding**

Academic

Person responsible for general inquiries

Contact

Name of organization / entity

Islamic Azad University

Full name of responsible person

Mohammad Hossein Sabzeghaba

Position

Phd Student

Latest degree

Master

Other areas of specialty/work

Psychology

Street address

No. 86, Somayeh St, Corner of Bouzarjamehri Street

City

Dezful

Province

Khouzestan

Postal code

6461816115

Phone

+98 61 4253 5317

Email

mhsa2018iran@gmail.com

Person responsible for scientific inquiries

Contact

Name of organization / entity

Islamic Azad University

Full name of responsible person

Dr. Fariba Hafezi

Position

Assistant professor

Latest degree

Ph.D.

Other areas of specialty/work

Psychology

Street address

Islamic Azad University, Ahvaz Branch , Golestan Highway, Farhang Shahr

City

Ahvaz

Province

Khouzestan

Postal code

۶۱۳۴۹-۳۷۳۳

Phone

+98 61 3334 8324

Email

dr.hafezi@gmail.com

Person responsible for updating data

Contact

Name of organization / entity

Islamic Azad University

Full name of responsible person

Mohammad Hossein Sabzeghaba

Position

Phd Student

Latest degree

Master

Other areas of specialty/work

Psychology

Street address

No. 86, Somayeh Street, Corner of Bouzarjomehri Street

City

Dezful

Province

Khouzestan

Postal code

6461816115

Phone

+98 61 4253 5317

Email

mhsa2018iran@gmail.com

Sharing plan

Deidentified Individual Participant Data Set (IPD)

No - There is not a plan to make this available

Justification/reason for indecision/not sharing IPD

The statistical sample information remains confidential and I have no decision to publish it.

Study Protocol

No - There is not a plan to make this available

Statistical Analysis Plan

No - There is not a plan to make this available

Informed Consent Form

Undecided - It is not yet known if there will be a plan to make this available

Clinical Study Report

No - There is not a plan to make this available

Analytic Code

No - There is not a plan to make this available

Data Dictionary

No - There is not a plan to make this available